

State Materials Laboratory

www.wsdot.wa.gov

1655 S 2nd Ave SW Tumwater, WA 98512-6951 360-709-5400 / FAX: 360-709-5585 TTY: 1-800-833-6388

October 11, 2022

Renee Thomas Adhesive Technology Corp. (ATC) 450 E. Copans Road Pompano Beach, FL 33064 954-789-4764

Re: QPL Product Evaluation, QPL2022031

Ms. Thomas,

The evaluation of ATC – Ultrabond HYB-2CC manufactured in Pompano Beach, Florida, has been completed.

The product review indicates that this product meets the requirements of Section 9-26.1(1)A, 9-26.1(1)B & GSP 6-02.2.OPT1.GR6 of the 2022 WSDOT Standard Specifications for Road, Bridge, and Municipal Construction and have been added to the Qualified Products List (QPL). A copy of the listing, as found in the QPL, is enclosed.

The acceptance codes for these products will be "1125" and "3109", 1125 states: Receipt of a satisfactory Test Report from WSDOT Materials Laboratory is required indicating that the lot(s) or batch(es) of material meets the requirements of the specifications under which it is listed. The Test Report must be received prior to incorporating the material into the project. Allow approximately 8weeks for testing to be completed from when the sample is received by the State Materials Laboratory.

"3109" states: A - Visually verify the resin bonding adhesive delivered is the product that was originally submitted by the Contractor and approved from the QPL. Note 'Restrictions' when present. B - Acceptance of threaded rods, nuts, and washers shall be by satisfactory Manufacturer's Certificate of Compliance per WSDOT Standard Specification 1-06.3 for each delivery of material to the project site. Supporting mill tests or documents may also be required with this document. If the Contract contains a Buy America clause, the PEO is responsible for acquiring a Certificate of Material Origin from the Contractor.

The QPL may be found on the Internet at: http://www.wsdot.wa.gov/biz/mats/QPL/QPL Search.cfm

Sincerely,
Pat Norton.
Assistant Materials Quality Assurance Engineer
NortonP@wsdot.wa.gov
(360) 764-0396



Qualified Product List

Product Information

Manufacturer: Adhesives Technology Corp - Pompano Beach, FL

Product Name: ULTRABOND HYB-2CC

Standard Spec : 9-26.1(1)A, Epoxy - Epoxy Resin - Type I

Product Description : Epoxy resin adhesive; Two-component, cartridge type; Type

I; Grade 3 - Non-sagging consistency

Product Restriction:

Acceptance Code: 1125

Code Description: Receipt of a satisfactory Test Report from WSDOT Materials Laboratory is required indicating that the lot(s) or batch(es) of material meets the requirements of the specifications under which it is listed. The Test Report must be received prior to incorporating the material into the project. Allow approximately 8 weeks for testing to be completed from when the sample is received by the State Materials Laboratory.

Last Updated: Sep 29, 2022

Contractors with WSDOT Click here for Contractor Product Info Page

Copyright WSDOT © 2016



Qualified Product List

Product Information

Manufacturer: Adhesives Technology Corp - Pompano Beach, FL

Product Name: ULTRABOND HYB-2CC

Standard Spec : 9-26.1(1)B, Epoxy - Epoxy Resin - Type II

Product Description : Epoxy resin adhesive; Two-component, cartridge type; Type

II; Grade 3 - Non-sagging consistency

Product Restriction:

Acceptance Code: 1125

Code Description: Receipt of a satisfactory Test Report from WSDOT Materials Laboratory is required indicating that the lot(s) or batch(es) of material meets the requirements of the specifications under which it is listed. The Test Report must be received prior to incorporating the material into the project. Allow approximately 8 weeks for testing to be completed from when the sample is received by the State Materials Laboratory.

Last Updated: Sep 29, 2022

Contractors with WSDOT Click here for Contractor Product Info Page

Copyright WSDOT © 2016



Qualified Product List

Product Information

Manufacturer: Adhesives Technology Corp - Pompano Beach, FL

Product Name: Ultrabond HYB-2CC

Standard Spec: GSP 6-02.2.OPT1.GR6, Resin Bonded Anchors - Adhesive

Product Description: Resin bonded anchor system: Epoxy resin adhesive; Twocomponent, cartridge type; Type IV, Grade 3, Class A, B and C; Approved for use with threaded anchor rods of 3/8, 1/2, 5/8 and 3/4-inch diameters.

Product Restriction:

Threaded anchor rods, nuts and washers are by others and Approval per Standard Spec 1-06.1 is required.

Acceptance Code: 3109

Code Description : A - Visually verify the resin bonding adhesive delivered is the product that was originally submitted by the Contractor and approved from the QPL. Note 'Restrictions' when present. B - Acceptance of threaded rods, nuts, and washers shall be by satisfactory Manufacturer's Certificate of Compliance per WSDOT Standard Specification 1-06.3 for each delivery of material to the project site. Supporting mill tests or documents may also be required with this document. If the Contract contains a Buy America clause, the PEO is responsible for acquiring a Certificate of Material Origin from the Contractor.

Last Updated: Oct 11, 2022

Contractors with WSDOT Click here for Contractor Product Info Page

Copyright WSDOT © 2016