

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 6/14/2024 Version: 1.0

SECTION 1: Identification				
1.1. Identification				
	: Mixture : 20-2026CTB			
1.2. Recommended use and restrictions on use				
	ting compound t to be used for any purp	ose other than the one the product was designed for		
1.3. Supplier				
Epoxies, Etc. 21 Starline Way Cranston, RI 02921 USA T 401-946-5564 www.epoxies.com				
1.4. Emergency telephone number				
Emergency number : VelocityEHS: +1 (800) 255-3924, +1 (813) 248-0585				
SECTION 2: Hazard(s) identification				
2.1. Classification of the substance or mixture				
GHS US classification				
Skin corrosion/irritation Category 2	H315	Causes skin irritation		
Serious eye damage/eye irritation Category 2	H319	Causes serious eye irritation		
Respiratory sensitization, Category 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
Skin sensitization, Category 1	H317	May cause an allergic skin reaction		
Carcinogenicity Category 2	H351	Suspected of causing cancer		
Specific target organ toxicity - Single exposure, Category 3	, H335	May cause respiratory irritation		
Respiratory tract irritation				
Specific target organ toxicity (repeated exposure) Category	2 H373	May cause damage to organs through prolonged or repeated exposure		
Full text of H statements : see section 16		•		
2.2. GHS Label elements, including precautionary	y statements			
GHS US labeling				
Hazard pictograms (GHS US) :	$\wedge \wedge$			

Signal word (GHS US) Hazard statements (GHS US)



: Danger : H315 - C

H315 - Causes skin irritation

- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary statements (GHS US)	 H351 - Suspected of causing cancer H373 - May cause damage to organs through prolonged or repeated exposure P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust/fume/gas/mist/vapors/spray. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P284 - [In case of inadequate ventilation] wear respiratory protection. P302+P352 - If on skin: Wash with plenty of water. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P304+P341 - If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - If exposed or concerned: Get medical advice/attention. P312 - Call a poison center or doctor if you feel unwell. P314 - Get medical advice/attention if you feel unwell. P314 - Get medical advice/attention if you feel unwell. P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P334+P313 - If skin irritation or rash occurs: Get medical advice/attention. P334+P313 - If skin irritation persists: Get medical advice/attention. P334+P313 - If skin irritation or rash occurs: Call a poison center or doctor. P364+P344 - Take off contaminated clothing and wash it before reuse. P363 - Wash contaminated clothing befor

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification

: Harmful dust may be released during cutting, milling or grinding process.

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
diphenylmethanediisocyanate,isomeres and homogues	CAS-No.: 9016-87-9	100	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 STOT SE 3, H335 STOT RE 2, H373

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Diphenylmethane 4,4'-diisocyanate	CAS-No.: 101-68-8	30 – 60	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373

Comments

: Components not listed are either non-hazardous or are below reportable limits.

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures			
4.1. Description of first aid measures			
First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell.		
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell. 		
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.		
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.		
4.2. Most important symptoms and effects (acute and delayed)			
Symptoms/effects after inhalation	: May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
Symptoms/effects after skin contact Symptoms/effects after eye contact	 Irritation. May cause an allergic skin reaction. Eye irritation. 		
4.3. Immediate medical attention and special treatment, if necessary			

Treat symptomatically.

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishin	g media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Specific hazards arising from the chemical			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Special protective equipment and precautions for fire-fighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

d emergency procedures
a energency procedures
ate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin yes.
at attempt to take action without suitable protective equipment. For further information refer stion 8: "Exposure controls/personal protection".
ining up
up liquid spill into absorbent material. Notify authorities if product enters sewers or public s.
se of materials or solid residues at an authorized site.

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities

Storage conditions

: Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

20-2026CTB		
No additional information available		
diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)		
No additional information available		
Diphenylmethane 4,4'-diisocyanate (101-68-8)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Methylene bisphenyl isocyanate (MDI)	
ACGIH OEL TWA [ppm]	0.005 ppm	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Diphenylmethane 4,4'-diisocyanate (101-68-8)		
Remark (ACGIH)	TLV® Basis: Resp sens	
Regulatory reference	ACGIH 2022	
USA - OSHA - Occupational Exposure Limits		
Local name	Methylene bisphenyl isocyanate (MDI)	
OSHA PEL C	0.2 mg/m³	
OSHA PEL C [ppm]	0.02 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear suitable gloves resistant to chemical penetration. Neoprene or nitrile rubber gloves. Butyl-rubber protective gloves. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Refer to manufacturer's information. Gloves must be replaced after each use and whenever signs of wear or perforation appear

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: According to product specification
Odor	: Mild odour
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20°C Relative density Solubility Partition coefficient n-octanol/water (Log Pow) Auto-ignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic Explosion limits Explosive properties	 No data available
Explosive properties Oxidizing properties	: No data available : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (dermal)	Not classified Not classified Not classified	
diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)		
LD50 oral rat	> 10000 mg/kg (Rat, Literature study, Oral)	
LD50 oral	10000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Literature study, Dermal)	
LD50 dermal	9400 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	0.49 mg/l/4h	
LC50 Inhalation - Rat (Vapours)	0.49 mg/l Source: Corporate Solution From Thomson Micromedex	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

diphenylmethanediisocyanate,isomeres and	d homogues (9016-87-9)	
ATE US (oral)	10000 mg/kg body weight	
ATE US (dermal)	9400 mg/kg body weight	
ATE US (gases)	4500 ppmV/4h	
ATE US (vapors)	0.49 mg/l/4h	
ATE US (dust, mist)	0.49 mg/l/4h	
Diphenylmethane 4,4'-diisocyanate (101-68-	8)	
LD50 oral rat	> 2000 mg/kg body weight (Rat, Male / female, Read-across, Oral, 14 day(s))	
LD50 oral	31600 mg/kg	
LD50 dermal rabbit	> 9400 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Read-across, Dermal, 14 day(s))	
LC50 Inhalation - Rat (Dust/Mist)	0.369 mg/l/4h	
ATE US (oral)	31600 mg/kg body weight	
ATE US (gases)	4500 ppmV/4h	
ATE US (vapors)	11 mg/l/4h	
ATE US (dust, mist)	0.369 mg/l/4h	
Skin corrosion/irritation	: Causes skin irritation.	
diphenylmethanediisocyanate,isomeres and	d homogues (9016-87-9)	
рН	No data available in the literature	
Diphenylmethane 4,4'-diisocyanate (101-68-8)		
рН	7 (6.8E-3 g/l, 25 °C)	
Serious eye damage/irritation	: Causes serious eye irritation.	
diphenylmethanediisocyanate,isomeres and	d homogues (9016-87-9)	
рН	No data available in the literature	
Diphenylmethane 4,4'-diisocyanate (101-68-	8)	
рН	7 (6.8E-3 g/l, 25 °C)	
Respiratory or skin sensitization	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.	
Germ cell mutagenicity Carcinogenicity	Not classifiedSuspected of causing cancer.	
diphenylmethanediisocyanate,isomeres and		
IARC group	3 - Not classifiable	
Diphenylmethane 4,4'-diisocyanate (101-68-		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	
STOT-single exposure	: May cause respiratory irritation.	
diphenylmethanediisocyanate,isomeres and		
STOT-single exposure	May cause respiratory irritation.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Diphenylmethane 4,4'-diisocyanate (101-68-8)			
STOT-single exposure	May cause respiratory irritation.		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
diphenylmethanediisocyanate,isomeres and	diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Diphenylmethane 4,4'-diisocyanate (101-68-8)			
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Aspiration hazard	Not classified		
Viscosity, kinematic	No data available		
diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)			
Viscosity, kinematic	No data available in the literature		
Diphenylmethane 4,4'-diisocyanate (101-68-8)			
Viscosity, kinematic	Not applicable (solid)		
Symptoms/effects after inhalation	May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties		
	if inhaled.		
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.		
Symptoms/effects after eye contact	Eye irritation.		

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general :	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
diphenylmethanediisocyanate,isomeres and	homogues (9016-87-9)	
LC50 - Other aquatic organisms [1]	> 1000 mg/l (96 h, Literature study)	
Diphenylmethane 4,4'-diisocyanate (101-68-8)		
LC50 - Fish [1]	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Read-across, Nominal concentration)	
EC50 - Crustacea [1]	129.7 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 24 h, Daphnia magna, Static system, Fresh water, Read-across, Locomotor effect)	
ErC50 algae	> 1640 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Read-across, GLP)	

12.2. Persistence and degradability

diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)		
Not rapidly degradable		
Persistence and degradability Not readily biodegradable in water.		
Diphenylmethane 4,4'-diisocyanate (101-68-8)		
Not rapidly degradable		
Persistence and degradability	Not readily biodegradable in water.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential		
diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)		
BCF - Fish [1]	268.1 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	10.46 (Calculated, KOWWIN)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
Diphenylmethane 4,4'-diisocyanate (101-68-8)		
BCF - Fish [1]	92 – 200 (OECD 305: Bioconcentration: Flow-Through Fish Test, 4 week(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value, GLP)	
Partition coefficient n-octanol/water (Log Pow)	4.51 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 22 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	

12.4. Mobility in soil

diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	9.078 – 10.597 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Adsorbs into the soil.	
Diphenylmethane 4,4'-diisocyanate (101-68-8)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.53 – 5.455 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Adsorbs into the soil.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA DOT TDG IMDG IATA 14.1. UN number Not regulated for transport 14.2. Proper Shipping Name Not applicable Not applicable Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT	TDG	IMDG	ΙΑΤΑ	
14.3. Transport hazard class(es	14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	
	-			
No supplementary information available				

14.6. Special precautions for user

DOT

No data available

TDG

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

diphenylmethanediisocyanate,isomeres and homogues	CAS-No. 9016-87-9	100%
Diphenylmethane 4,4'-diisocyanate	CAS-No. 101-68-8	30 – 60%

Diphenylmethane 4,4'-diisocyanate (101-68-8)	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	5000 lb

15.2. International regulations

CANADA

diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)	
Listed on the Canadian DSL (Domestic Substances List)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Diphenylmethane 4,4'-diisocyanate (101-68-8)	
Listed on the Canadian DSL (Domestic Substances List)	

EU-Regulations

No additional information available

National regulations

diphenylmethanediisocyanate, isomeres and homogues (9016-87-9)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Diphenylmethane 4,4'-diisocyanate (101-68-8)	
Listed on INSQ (Mexican National Inventory of Chemical Substances)	

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
diphenylmethanediisocyanate,isomeres and homogues(9016-87-9)	U.S New Jersey - Right to Know Hazardous Substance List
Diphenylmethane 4,4'-diisocyanate(101-68-8)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.