

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 4/12/2024 Version: 1.0

SECTION 1: Identification		
1.1. Identification		
Product form Product name	: Mixture : 60-7156RCL	
1.2. Recommended use and restrictions or	n use	
Restrictions on use	: Not to be used for any purpose other than the one the product was designed for	
1.3. Supplier		
Epoxies, Etc. 21 Starline Way Cranston, RI 02921 USA T 401-946-5564 <u>www.epoxies.com</u>		
1.4. Emergency telephone number		
Emergency number	: VelocityEHS: +1 (800) 255-3924, +1 (813) 248-0585	
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mix		
GHS US classification		
Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Hazardous to the aquatic environment – Acute Haz Hazardous to the aquatic environment – Chronic Haz Full text of H statements : see section 16	• /	
2.2. GHS Label elements, including precau	utionary statements	
GHS US labeling		
Hazard pictograms (GHS US)		
Signal word (GHS US) Hazard statements (GHS US)	 Warning H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H402 - Harmful to aquatic life H412 - Harmful to aquatic life with long lasting effects 	
Precautionary statements (GHS US)	 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing must not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment (see supplemental first aid instruction on this label). 	
1/42/2024 (logue data)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P363 - Wash contaminated clothing before reuse.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : Harmful dust may be released during cutting, milling or grinding process.

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Epoxy resin	CAS-No.: 2386-87-0	30 – 60	Skin Sens. 1, H317 Aquatic Chronic 3, H412
Bisphenol A diglycidyl ether resin	CAS-No.: 25068-38-6	5 – 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Photoinitiator	CAS-No.: 71449-78-0	< 1	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Comments

: Components not listed are either non-hazardous or are below reportable limits.

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effe	ects (acute and delayed)
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishing	5.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream.		
5.2. Specific hazards arising from the chem	nical		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 No fire hazard. No direct explosion hazard. Toxic fumes may be released. 		
5.3. Special protective equipment and prec	autions for fire-fighters		
Firefighting instructions Protection during firefighting	 Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 		

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipm	nent and emergency procedures	
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear recommended personal protective equipment.	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.	
6.2. Environmental precautions		

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.	
Methods for cleaning up	: Take up liquid spill into absorbent material.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling Hygiene measures	 Not expected to present a significant hazard under anticipated conditions of normal use. Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Wear personal protective equipment. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures Storage conditions Packaging materials	 Keep in a cool, well-ventilated place away from heat. Keep cool. Protect from sunlight. Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls	
Appropriate engineering controls Environmental exposure controls	Ensure good ventilation of the work station.Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Wear suitable gloves resistant to chemical penetration. Neoprene or nitrile rubber gloves. Butyl-rubber protective gloves. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Refer to manufacturer's information. Gloves must be replaced after each use and whenever signs of wear or perforation appear

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Color Odor Odor threshold pH Melting point Freezing point Boiling point Flash point Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) Vapor pressure Relative vapor density at 20°C Relative density Solubility Partition coefficient n-octanol/water (Log Pow)	 Liquid According to product specification Mild odour No data available No data available Not applicable No data available
Solubility Partition coefficient n-octanol/water (Log Pow) Auto-ignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic Explosion limits Explosive properties	 No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

11.1. Information on toxicological effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified
Bisphenol A diglycidyl ether resin (25068	-38-6)
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
LD50 oral	11400 mg/kg
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
ATE US (oral)	11400 mg/kg body weight
Photoinitiator (71449-78-0)	
ATE US (oral)	500 mg/kg body weight
Epoxy resin (2386-87-0)	
LD50 oral rat	4490 mg/kg (Rat, Oral)
LD50 dermal rat	> 2000 mg/kg (OECD 402: Acute Dermal Toxicity, Rat, Male / female, Experimental value, Dermal)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Dermal)
LC50 Inhalation - Rat	> 20 mg/l (4 h, Rat, Inhalation)
ATE US (oral)	4490 mg/kg body weight
Skin corrosion/irritation	: Not classified
Bisphenol A diglycidyl ether resin (25068	-38-6)
рН	No data available in the literature
Serious eye damage/irritation	: Causes serious eye irritation.
Bisphenol A diglycidyl ether resin (25068	-38-6)
рН	No data available in the literature
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Serm cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Bisphenol A diglycidyl ether resin (25068	
NOAEL (chronic,oral,animal/male,2 years)	15 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Guideline: EPA OPPTS 870.4300 (Combined Chronic Toxicity / Carcinogenicity), Guideline: other:MITI, Japanese ministry of international trade and industry, February 1998, Remarks on results: other:Effect type: toxicit (migrated information)
NOAEL (chronic,oral,animal/female,2 years)	100 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Guideline: EPA OPPTS 870.4300 (Combined Chronic Toxicity / Carcinogenicity), Guideline: other:MITI, Japanese ministry of international trade and industry, February 1998, Remarks on results: other:Effect type: toxicit (migrated information)
Reproductive toxicity	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

STOT-repeated exposure	: Not classified	
Bisphenol A diglycidyl ether resin (25068-38-6)		
NOAEL (oral,rat,90 days)	50 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: other:japanese MITI guidelines for toxicity testing of chemicals	
Aspiration hazard	Not classified	
Viscosity, kinematic	: No data available	
Bisphenol A diglycidyl ether resin (25068-3	3-6)	
Viscosity, kinematic	No data available in the literature	
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.	
Symptoms/effects after skin contact	: May cause an allergic skin reaction.	
Symptoms/effects after eye contact	: Eye irritation.	
Symptoms/effects after ingestion	: None under normal conditions.	

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general :	Harmful to aquatic life. Harmful to aquatic life with long lasting effects.	
Bisphenol A diglycidyl ether resin (25068-38-6)		
LC50 - Fish [1]	1.3 mg/l (96 h, Pisces, Literature study)	
EC50 - Crustacea [1]	2 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)	
EC50 72h - Algae [1]	9.4 mg/l (EPA 660/3 - 75/009, Selenastrum capricornutum, Static system, Fresh water, Experimental value, Biomass)	
EC50 72h - Algae [2]	> 11 mg/l Test organisms (species): Scenedesmus capricornutum	
LOEC (chronic)	1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0.3 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
Epoxy resin (2386-87-0)		
LC50 - Fish [1]	24 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP)	
EC50 - Crustacea [1]	40 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	
EC50 72h - Algae [1]	> 110 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)	
EC50 72h - Algae [2]	> 110 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	

12.2. Persistence and degradability

60-7156RCL	
Persistence and degradability	Not rapidly degradable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Bisphenol A diglycidyl ether resin (25068-38-6)		
Persistence and degradability	stence and degradability Not readily biodegradable in water.	
Photoinitiator (71449-78-0)		
ersistence and degradability Not rapidly degradable		
Epoxy resin (2386-87-0)		
Persistence and degradability	Biodegradability in soil: no data available, Readily biodegradable in water.	
ThOD 2.16 g O ₂ /g substance		

12.3. Bioaccumulative potential

Bisphenol A diglycidyl ether resin (25068-38-6)			
Partition coefficient n-octanol/water (Log Pow)	3 (Estimated value, 25 °C)		
Bioaccumulative potential	tential Low potential for bioaccumulation (Log Kow < 4).		
Epoxy resin (2386-87-0)			
Partition coefficient n-octanol/water (Log Pow)	1.34 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		

12.4. Mobility in soil

Bisphenol A diglycidyl ether resin (25068-38-6)		
Surface tension	59 mN/m (20 °C, 0.09 g/l)	
Ecology - soil	No (test)data on mobility of the substance available.	
Epoxy resin (2386-87-0)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.4195 (log Koc, QSAR)	
Ecology - soil	Low potential for adsorption in soil. Highly mobile in soil.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methodsRegional waste regulation: Disposal must be done according to official regulations.Waste treatment methods: Dispose of contents/container in accordance with licensed collector's sorting instructions.Sewage disposal recommendations: Disposal must be done according to official regulations.Product/Packaging disposal recommendations: Disposal must be done according to official regulations.Additional information: Do not re-use empty containers.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG	IMDG	ΙΑΤΑ			
14.1. UN number					
Not applicable	Not regulated	Not regulated			
· · · · ·					
Not applicable	Not regulated	Not regulated			
5)		1			
Not applicable	Not regulated	Not regulated			
		1			
Not applicable	Not regulated	Not regulated			
		1			
Not applicable	Not regulated	Not regulated			
	Not applicable Not applicable Not applicable Not applicable Not applicable	Not applicable Not regulated Not applicable Not regulated Not applicable Not regulated Not applicable Not regulated			

14.6. Special precautions for user

DOT

Not regulated

TDG

Not applicable

IMDG Not regulated

IATA Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

Bisphenol A diglycidyl ether resin (25068-38-6)

Listed on the Canadian DSL (Domestic Substances List)

Photoinitiator (71449-78-0)

Listed on the Canadian NDSL (Non-Domestic Substances List)

Epoxy resin (2386-87-0)

Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements		
H302	Harmful if swallowed	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H400	Very toxic to aquatic life	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.