

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Product name : 20-2620RCL

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Potting compound
Restrictions on use : Not to be used for any purpose other than the one the product was designed for

1.4. Supplier's details

Epoxies, Etc.
21 Starline Way
Cranston, RI 02921
USA
T 401-946-5564
www.epoxies.com

1.5. Emergency phone number

Emergency number : VelocityEHS: +1 (800) 255-3924, +1 (813) 248-0585

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Not classified

2.2. Label elements

GHS US labeling

No labeling applicable

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

Other hazards which do not result in classification : Harmful dust may be released during cutting, milling or grinding process.

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

20-2620RCL

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

3.2. Mixtures

Name	Product identifier	%	GHS US classification
1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-	CAS-No.: 77-99-6	< 5	Acute Tox. 3 (Inhalation:dust,mist), H331
2-Oxepanone	CAS-No.: 502-44-3	< 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Comments

: Components not listed are either non-hazardous or are below reportable limits.

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
Personal protection for first-aid responders.	: First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: None under normal conditions.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

20-2620RCL

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

- : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

For non-emergency personnel

Protective equipment

- : Wear recommended personal protective equipment.

Emergency procedures

- : Ventilate spillage area.

For emergency responders

Protective equipment

- : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures

- : Evacuate unnecessary personnel. Stop leak if safe to do so.

Environmental precautions

- : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

For containment

- : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.

Methods for cleaning up

- : Take up liquid spill into absorbent material.

Other information

- : Dispose of materials or solid residues at an authorized site.

For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

- : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures

- : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Additional hazards when processed

- : Not expected to present a significant hazard under anticipated conditions of normal use.

7.2. Conditions for safe storage, including incompatibilities

Technical measures

- : Keep in a cool, well-ventilated place away from heat.

Storage conditions

- : Keep cool. Protect from sunlight.

Packaging materials

- : Store always product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- (77-99-6)

USA - ACGIH - Occupational Exposure Limits

ACGIH® TLV® TWA	0.5 ppm (Inhalable fraction and vapor)
-----------------	--

8.2. Appropriate engineering controls

Appropriate engineering controls

- : Ensure good ventilation of the work station.

Environmental exposure controls

- : Avoid release to the environment.

20-2620RCL

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Wear suitable gloves resistant to chemical penetration. Neoprene or nitrile rubber gloves. Butyl-rubber protective gloves. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Refer to manufacturer's information. Gloves must be replaced after each use and whenever signs of wear or perforation appear

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Color	: According to product specification
Odor	: Mild odour
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

20-2620RCL

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- (77-99-6)

LD50 oral rat	14700 mg/kg body weight (Rat, Male, Experimental value, Oral, 7 day(s))
LD50 dermal rabbit	> 10000 mg/kg body weight (24 h, Rabbit, Experimental value, Dermal, 7 day(s))
LC50 Inhalation - Rat	> 0.85 mg/l air (4 h, Rat, Male, Experimental value, Inhalation (aerosol), 14 day(s))
ATE US (oral)	14700 mg/kg body weight
ATE US (dust, mist)	0.5 mg/l/4h

2-Oxepanone (502-44-3)

LD50 oral rat	4290 mg/kg (Rat, Oral)
LD50 dermal rabbit	5990 mg/kg (Rabbit, Dermal)
ATE US (oral)	4290 mg/kg body weight
ATE US (dermal)	5990 mg/kg body weight

Skin corrosion/irritation : Not classified

1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- (77-99-6)

pH	No data available in the literature
----	-------------------------------------

Serious eye damage/irritation : Not classified

1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- (77-99-6)

pH	No data available in the literature
----	-------------------------------------

20-2620RCL

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

2-Oxepanone (502-44-3)

STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- (77-99-6)	
NOAEL (oral, rat, 90 days)	200 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEC (inhalation, rat, gas, 90 days)	≈ 3.5 ppm Animal: rat
Aspiration hazard	: Not classified

1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- (77-99-6)

Viscosity, kinematic	Not applicable (solid)
Symptoms/effects after inhalation	: None under normal conditions.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- (77-99-6)

LC50 - Fish [1]	> 1000 mg/l (96 h, <i>Alburnus alburnus</i> , Static system, Brackish water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	13000 mg/l (ASTM, 48 h, <i>Daphnia magna</i> , Static system, Fresh water, Experimental value, Locomotor effect)
LC50 - Fish [2]	> 10 g/l Test organisms (species): <i>Alburnus alburnus</i>
EC50 72h - Algae [1]	> 1000 mg/l (<i>Pseudokirchneriella subcapitata</i> , Fresh water, Experimental value, Biomass)
EC50 96h - Algae [1]	> 1000 mg/l Source: OECD Screening Information Data Set
NOEC (chronic)	> 1000 mg/l Test organisms (species): <i>Daphnia magna</i> Duration: '21 d'

2-Oxepanone (502-44-3)

LC50 - Fish [1]	280 mg/l Test organisms (species): <i>Poecilia reticulata</i>
EC50 - Crustacea [1]	204 mg/l Test organisms (species): <i>Daphnia magna</i>

20-2620RCL

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

2-Oxepanone (502-44-3)	
EC50 72h - Algae [1]	1217 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	2616 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

12.2. Persistence and degradability

20-2620RCL	
Persistence and degradability	Not rapidly degradable
1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- (77-99-6)	
Persistence and degradability	Not readily biodegradable in water.
2-Oxepanone (502-44-3)	
Persistence and degradability	Biodegradability in soil: no data available.
ThOD	2.1 g O ₂ /g substance

12.3. Bioaccumulative potential

1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- (77-99-6)	
BCF - Fish [1]	0.1 – 10 (OECD 305: Bioconcentration: Flow-Through Fish Test, 6 week(s), Cyprinus carpio, Flow-through system, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	-0.47 (Experimental value, 26 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
2-Oxepanone (502-44-3)	
Partition coefficient n-octanol/water (Log Pow)	0.68 Source: ICSC
Bioaccumulative potential	No bioaccumulation data available.

12.4. Mobility in soil

1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- (77-99-6)	
Surface tension	71 mN/m (20 °C, 1 g/l)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.18 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.

12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No

SECTION 13 Disposal considerations

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

20-2620RCL

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
Not regulated	Not applicable	Not applicable	Not applicable
14.2. Proper Shipping Name			
Not regulated	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not regulated	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not regulated	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not regulated	Not applicable	Not applicable	Not applicable
No supplementary information available			

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

Not regulated

TDG

Not applicable

IMDG

Not applicable

IATA

Not applicable

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- (77-99-6)

Listed on the Canadian DSL (Domestic Substances List)

2-Oxepanone (502-44-3)

Listed on the Canadian DSL (Domestic Substances List)

20-2620RCL

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

EU-Regulations

No additional information available

National regulations

1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- (77-99-6)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Issue date : 7/24/2025

Full text of hazard classes and H-statements

H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H335	May cause respiratory irritation

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.