

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 6/14/2024 Version: 1.0

# **SECTION 1: Identification**

## 1.1. Identification

Product form : Mixture Product name 20-2026RCL

### 1.2. Recommended use and restrictions on use

Recommended use : Potting compound

Restrictions on use : Not to be used for any purpose other than the one the product was designed for

### 1.3. Supplier

Epoxies, Etc. 21 Starline Way Cranston, RI 02921 USA T 401-946-5564

www.epoxies.com

## 1.4. Emergency telephone number

Emergency number : VelocityEHS: +1 (800) 255-3924, +1 (813) 248-0585

# **SECTION 2: Hazard(s) identification**

# 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2	H319	Causes serious eye irritation
Respiratory sensitization, Category 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Carcinogenicity Category 2	H351	Suspected of causing cancer
Specific target organ toxicity – Single exposure, Category 3,	H335	May cause respiratory irritation
Respiratory tract irritation		
Specific target organ toxicity (repeated exposure) Category 2	H373	May cause damage to organs through prolonged or repeated
		exposure

Full text of H statements : see section 16

## 2.2. GHS Label elements, including precautionary statements

# **GHS US labeling**

Hazard pictograms (GHS US)



Danger



Signal word (GHS US)

Hazard statements (GHS US) H315 - Causes skin irritation

> H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 - May cause respiratory irritation

## Safety Data Sheet

Precautionary statements (GHS US)

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H351 - Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure

: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P284 - [In case of inadequate ventilation] wear respiratory protection.

P302+P352 - If on skin: Wash with plenty of water.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

P304+P341 - If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P312 - Call a poison center or doctor if you feel unwell.

P314 - Get medical advice/attention if you feel unwell.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P342+P311 - If experiencing respiratory symptoms: Call a poison center or doctor.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P363 - Wash contaminated clothing before reuse.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : Harmful dust may be released during cutting, milling or grinding process.

## 2.4. Unknown acute toxicity (GHS US)

No additional information available

## **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
diphenylmethanediisocyanate,isomeres and homogues	CAS-No.: 9016-87-9		Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 STOT SE 3, H335 STOT RE 2, H373

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Diphenylmethane 4,4'-diisocyanate	CAS-No.: 101-68-8		Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373

Comments : Components not listed are either non-hazardous or are below reportable limits.

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

## **SECTION 4: First-aid measures**

## 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if

you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison

center/doctor/physician if you feel unwell.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

## 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

# 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## **SECTION 5: Fire-fighting measures**

# 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

## 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

6/14/2024 (Issue date) US - en 3/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin

and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear personal protective equipment. Do not breathe

dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Avoid contact

with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

-71	1 7	noi	307	٠,	
	1-/	11/1	SRO		
_	_		,,,,,	_	

No additional information available

### Diphenylmethane 4,4'-diisocyanate (101-68-8)

# USA - ACGIH - Occupational Exposure Limits

OSA - ACGIRI - Occupational Exposure Limits		
Local name	Methylene bisphenyl isocyanate (MDI)	
ACGIH OEL TWA [ppm]	0.005 ppm	
Remark (ACGIH)	TLV® Basis: Resp sens	
Regulatory reference	ACGIH 2022	

6/14/2024 (Issue date) US - en 4/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Diphenylmethane 4,4'-diisocyanate (101-68-8)		
USA - OSHA - Occupational Exposure Limits		
Local name	Methylene bisphenyl isocyanate (MDI)	
OSHA PEL C	0.2 mg/m³	
OSHA PEL C [ppm]	0.02 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)		
No additional information available		

## 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

## 8.3. Individual protection measures/Personal protective equipment

### Hand protection:

Wear suitable gloves resistant to chemical penetration. Neoprene or nitrile rubber gloves. Butyl-rubber protective gloves. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Refer to manufacturer's information. Gloves must be replaced after each use and whenever signs of wear or perforation appear

#### Eye protection:

Safety glasses

### Skin and body protection:

Wear suitable protective clothing

# Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

### Personal protective equipment symbol(s):







# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : According to product specification

Odor : Mild odour
Odor threshold : No data available

pH : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Flash point : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : Not applicable.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor pressure : No data available Relative vapor density at 20°C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available : No data available Decomposition temperature : No data available Viscosity, kinematic Viscosity, dynamic No data available **Explosion limits** No data available Explosive properties No data available Oxidizing properties : No data available

### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Diphenylmethane 4,4'-diisocyanate (101-68-8)		
LD50 oral rat	> 2000 mg/kg body weight (Rat, Male / female, Read-across, Oral, 14 day(s))	
LD50 oral	31600 mg/kg	
LD50 dermal rabbit	> 9400 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Read-across, Dermal, 14 day(s))	
LC50 Inhalation - Rat (Dust/Mist)	0.369 mg/l/4h	
ATE US (oral)	31600 mg/kg body weight	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Diphenylmethane 4,4"-diisocyanate (101-68-8)   4500 ppm\//4h     ATE US (vapors)   11 mg\/4h     ATE US (vapors)   11 mg\/4h     ATE US (dust, mist)   0.369 mg\/3l4h     diphenylmethanediisocyanate,isomeres and homogues (3016-87-9)     LD50 oral   10000 mg\/kg (Rat, Literature study, Oral)     LD50 oral   10000 mg\/kg (Rabbit, Literature study, Dermal)     LD50 dermal rabbit   > 5000 mg\/kg (Rabbit, Literature study, Dermal)     LD50 dermal   9400 mg\/kg     LC50 Inhalation - Rat (Dust\/Mist)   0.49 mg\/kg     LC50 Inhalation - Rat (Vapours)   0.49 mg\/kg     Source: Corporate Solution From Thomson Micromedex     ATE US (dermal)   9400 mg\/kg body weight     ATE US (dermal)   9400 mg\/kg body weight     ATE US (vapors)   0.49 mg\/kg hody weight     ATE US (vapors)   0.49 mg\/kg hody     ATE US (dust, mist)   0.49 mg\/kg hody     ATE US (apses)   0.49 mg\/kg hody			
ATE US (dust, mist)  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  LD50 oral rat	Diphenylmethane 4,4'-diisocyanate (101-68-8)		
ATE US (dust, mist)  diphenylmethanedilisocyanate, Isomeres and homogues (9016-87-9)  LD50 oral rat   > 10000 mg/kg (Rat, Literature study, Oral)  LD50 oral   10000 mg/kg (Rabbit, Literature study, Dermal)  LD50 dermal rabbit   > 5000 mg/kg (Rabbit, Literature study, Dermal)  LD50 dermal rabbit   > 5000 mg/kg (Rabbit, Literature study, Dermal)  LD50 dermal   9400 mg/kg    LC50 Inhalation - Rat (Vapours)   0.49 mg/l/4h  LC50 Inhalation - Rat (Vapours)   0.49 mg/l Source: Corporate Solution From Thomson Micromedex  ATE US (oral)   10000 mg/kg body weight  ATE US (demail)   9400 mg/kg body weight  ATE US (demail)   9400 mg/kg body weight  ATE US (dust, mist)   0.49 mg/l/4h  ATE US (vapors)   0.49 mg/l/4h  ATE US (vapors)   0.49 mg/l/4h  ATE US (dust, mist)   0.49 mg/l/4h  ATE US (aseas)   7 (6.8E-3 g/l, 25 °C)  diphenylmethane 4,4"-diisocyanate (101-68-8)  pH   7 (6.8E-3 g/l, 25 °C)  diphenylmethane diisocyanate, isomeres and homogues (9016-87-9)  pH   No data available in the literature  Serious eye damage/riritation   Causes serious eye irritation.  Diphenylmethane 4,4"-diisocyanate (101-68-8)  pH   7 (6.8E-3 g/l, 25 °C)  diphenylmethanediisocyanate, isomeres and homogues (9016-87-9)  pH   No data available in the literature  Respiratory or skin sensitization   May cause alleriey or asthma symptoms or breathing difficulties if inhaled. May cakin reaction.  Cerm cell mutagenicity   Not classified  Carrinogenicy   Not classified  Carrinogenicy   Not classified  diphenylmethane 4,4"-diisocyanate (101-68-8)  IARC group   3 - Not classified  diphenylmethane 4,4"-diisocyanate (101-68-8)  IARC group   3 - Not classified  STOT-single exposure   May cause respiratory irritation.  Diphenylmethane 4,4"-diisocyanate (101-68-8)	TE US (gases)	4500 ppmV/4h	
diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  LD50 oral rat	TE US (vapors)	11 mg/l/4h	
LD50 oral rat    > 10000 mg/kg (Rat, Literature study, Oral)   LD50 oral   10000 mg/kg (Rabbit, Literature study, Dermal)   LD50 dermal   9400 mg/kg (Rabbit, Literature study, Dermal)   LD50 dermal   9400 mg/kg   Rabbit, Literature study, Dermal)   LD50 dermal   9400 mg/kg   Rabbit, Literature study, Dermal)   LD50 Inhalation - Rat (Vusound)   0.49 mg/l/4h   10000 mg/kg body weight   10000 mg/kg body mg/kg body weight   10000 mg/kg body weight   10000 mg/kg body mg/kg body weight	TE US (dust, mist)	0.369 mg/l/4h	
LD50 oral 10000 mg/kg  LD50 dermal rabbit > 5000 mg/kg (Rabbit, Literature study, Dermal)  LD50 dermal 39400 mg/kg  LC50 Inhalation - Rat (Dust/Mist) 0.49 mg/l Source: Corporate Solution From Thomson Micromedex  ATE US (oral) 10000 mg/kg body weight  ATE US (dermal) 9400 mg/kg body weight  ATE US (dermal) 9400 mg/kg body weight  ATE US (desses) 4500 ppmV/4h  ATE US (vapors) 0.49 mg/l/4h  ATE US (vapors) 0.49 mg/l/4h  ATE US (dust, mist) 0.49 mg/l/4h  Skin corrosion/firitation : Causes skin irritation.  Diphenylmethane 4,4*-diisocyanate (101-68-8)  pH 7 (6.8E-3 g/l, 25 °C)  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  pH No data available in the literature  Serious eye damage/irritation : Causes serious eye irritation.  Diphenylmethane 4,4*-diisocyanate (101-68-8)  pH 7 (6.8E-3 g/l, 25 °C)  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  pH No data available in the literature  Respiratory or skin sensitization : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May or skin reaction.  Germ cell mutagenicity : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May or skin reaction.  Germ cell mutagenicity : Suspected of causing cancer.  Diphenylmethane 4,4*-diisocyanate (101-68-8)  IARC group 3 - Not classifiable  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  IARC group 3 - Not classifiable  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  IARC group : Not classifiable  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  IARC group : Not classifiable  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  iARC group : Not classifiable  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  iARC group : Not classifiable  diphenylmethanediisocyanate (101-68-8)	iphenylmethanediisocyanate,isomeres and ho	omogues (9016-87-9)	
LD50 dermal rabbit	D50 oral rat	> 10000 mg/kg (Rat, Literature study, Oral)	
LD50 dermal 9400 mg/kg  LC50 Inhalation - Rat (Dust/Mist) 0.49 mg/l/4h  LC50 Inhalation - Rat (Vapours) 0.49 mg/l/4h  LC50 Inhalation - Rat (Vapours) 0.49 mg/l/4h  ATE US (oral) 10000 mg/kg body weight  ATE US (dermal) 9400 mg/kg body weight  ATE US (gases) 4500 ppm/V4h  ATE US (vapors) 0.49 mg/l/4h  ATE US (vapors) 0.49 mg/l/4h  ATE US (dust, mist) 0.49 mg/l/4h  ATE US (dust,	D50 oral 1	10000 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)  LC50 Inhalation - Rat (Vapours)  ATE US (oral)  ATE US (oral)  ATE US (dermal)  ATE US (dermal)  ATE US (gases)  ATE US (yapors)  ATE US (vapors)  ATE US (dust, mist)  Diphenylmethane 4,4'-diisocyanate (101-68-8)  PH  ATE US (dust, mist)  Diphenylmethane 4,4'-diisocyanate (101-68-8)  PH  ATE US (auses skin irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  PH  ATE US (auses skin irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  PH  ATE US (auses serious eye irritation.  Diphenylmethane 4,4'-diisocyanate, isomeres and homogues (9016-87-9)  PH  ATE US (auses serious eye irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  PH  ATE US (auses serious eye irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  PH  ATE US (auses and homogues (9016-87-9)  PH  AND data available in the literature  Ause allergy or asthma symptoms or breathing difficulties if inhaled. May of skin reaction.  Germ cell mutagenicity  AND classified  Carcinogenicity  AND classified  AND classified  AND classifiable	D50 dermal rabbit >	> 5000 mg/kg (Rabbit, Literature study, Dermal)	
LC50 Inhalation - Rat (Vapours)  ATE US (oral)  ATE US (oral)  ATE US (dermal)  ATE US (dermal)  ATE US (gases)  ATE US (yapors)  ATE US (dust, mist)  Diphenylmethane 4,4'-diisocyanate (101-68-8)  pH  ATE US (asses)  ATE US (dust, mist)  Diphenylmethane 4,4'-diisocyanate (101-68-8)  pH  ATE US (asses)  ATE US (dust, mist)  ATE US (dust, mist)  Diphenylmethane 4,4'-diisocyanate (101-68-8)  pH  ATE US (dust, mist)  ATE US (dust, mist)  ATE US (dust, mist)  Diphenylmethane 4,4'-diisocyanate (101-68-8)  pH  ATE US (dust, mist)  ATE US (vapors)  ATE US (vapors)  ATE US (vapors)  ASS (assessed)  ASS (asses)  AS	D50 dermal 9	9400 mg/kg	
ATE US (oral)  ATE US (demal)  ATE US (demal)  ATE US (gases)  ATE US (gases)  ATE US (wapors)  ATE US (dust, mist)  O.49 mg/l/4h  Skin corrosion/irritation  Causes skin irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  pH  7 (6.8E-3 g/l, 25 °C)  diphenylmethane 4,4'-diisocyanate (101-68-8)  pH  No data available in the literature  Serious eye damage/irritation  Causes serious eye irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  pH  7 (6.8E-3 g/l, 25 °C)  diphenylmethane 4,4'-diisocyanate (101-68-8)  pH  7 (6.8E-3 g/l, 25 °C)  diphenylmethane 4,4'-diisocyanate, isomeres and homogues (9016-87-9)  pH  No data available in the literature  Respiratory or skin sensitization  : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May of skin reaction.  Germ cell mutagenicity  : Not classified  Carcinogenicity  : Suspected of causing cancer.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  IARC group  3 - Not classifiable  diphenylmethanediisocyanate, isomeres and homogues (9016-87-9)  IARC group  3 - Not classifiable  Reproductive toxicity  : Not classified  STOT-single exposure  i May cause respiratory irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  Engroductive toxicity  : May cause respiratory irritation.	C50 Inhalation - Rat (Dust/Mist)	0.49 mg/l/4h	
ATE US (dermal)  ATE US (gases)  ATE US (vapors)  ATE US (vapors)  ATE US (dust, mist)  O.49 mg/l/4h  Skin corrosion/irritation  Diphenylmethane 4,4'-dlisocyanate (101-68-8) pH  7 (6.8E-3 g/l, 25 °C)  diphenylmethane 4,4'-dlisocyanate (101-68-8) pH  No data available in the literature  Serious eye damage/irritation  Diphenylmethane 4,4'-dlisocyanate (101-68-8) pH  7 (6.8E-3 g/l, 25 °C)  diphenylmethane 4,4'-dlisocyanate (101-68-8) pH  7 (6.8E-3 g/l, 25 °C)  diphenylmethane 4,4'-dlisocyanate (101-68-8) pH  No data available in the literature  Respiratory or skin sensitization  May cause allergy or asthma symptoms or breathing difficulties if inhaled. May of skin reaction.  Germ cell mutagenicity  Suspected of causing cancer.  Diphenylmethane 4,4'-dlisocyanate (101-68-8) IARC group  3 - Not classified  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9) IARC group  3 - Not classified  Reproductive toxicity  Not classified  STOT-single exposure  M4y cause respiratory irritation.	C50 Inhalation - Rat (Vapours)	0.49 mg/l Source: Corporate Solution From Thomson Micromedex	
ATE US (gases)  ATE US (vapors)  0.49 mg/l/4h  ATE US (dust, mist)  0.49 mg/l/4h  Skin corrosion/irritation  Causes skin irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  pH  7 (6.8E-3 g/l, 25 °C)  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  pH  No data available in the literature  Serious eye damage/irritation  Causes serious eye irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  pH  7 (6.8E-3 g/l, 25 °C)  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  pH  No data available in the literature  Respiratory or skin sensitization  : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma sympt	TE US (oral) 1	10000 mg/kg body weight	
ATE US (vapors)  ATE US (dust, mist)  Diphenylmethane 4,4'-diisocyanate (101-68-8)  pH  T (6.8E-3 g/l, 25 °C)  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  pH  No data available in the literature  Serious eye damage/irritation  Diphenylmethane 4,4'-diisocyanate (101-68-8)  pH  T (6.8E-3 g/l, 25 °C)  diphenylmethane 4,4'-diisocyanate (101-68-8)  pH  T (6.8E-3 g/l, 25 °C)  diphenylmethane 4,4'-diisocyanate (101-68-8)  pH  No data available in the literature  Respiratory or skin sensitization  May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing.	TE US (dermal)	9400 mg/kg body weight	
ATE US (dust, mist)  Skin corrosion/irritation  Causes skin irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  pH  7 (6.8E-3 g/l, 25 °C)  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  pH  No data available in the literature  Serious eye damage/irritation  Causes serious eye irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  pH  7 (6.8E-3 g/l, 25 °C)  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  pH  No data available in the literature  Respiratory or skin sensitization  May cause allergy or asthma symptoms or breathing difficulties if inhaled. May or skin reaction.  Germ cell mutagenicity  Not classified  Carcinogenicity  Suspected of causing cancer.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  IARC group  3 - Not classifiable  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  IARC group  3 - Not classifiable  Reproductive toxicity  Not classified  To classified  Not classified  Way cause respiratory irritation.	TE US (gases)	4500 ppmV/4h	
Skin corrosion/irritation : Causes skin irritation.    Diphenylmethane 4,4'-diisocyanate (101-68-8)	TE US (vapors)	0.49 mg/l/4h	
Diphenylmethane 4,4'-diisocyanate (101-68-8)  pH	TE US (dust, mist)	0.49 mg/l/4h	
pH   7 (6.8E-3 g/l, 25 °C)  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9) pH   No data available in the literature  Serious eye damage/irritation : Causes serious eye irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8) pH   7 (6.8E-3 g/l, 25 °C)  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9) pH   No data available in the literature  Respiratory or skin sensitization : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory in the cause of causing cancer.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  IARC group   3 - Not classifiable  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  IARC group   3 - Not classifiable  Reproductive toxicity : Not classified  STOT-single exposure : May cause respiratory irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)	cin corrosion/irritation : C	Causes skin irritation.	
diphenylmethanediisocyanate,isomeres and homogues (9016-87-9) pH	iphenylmethane 4,4'-diisocyanate (101-68-8)		
PH No data available in the literature  Serious eye damage/irritation : Causes serious eye irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  pH 7 (6.8E-3 g/l, 25 °C)  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  pH No data available in the literature  Respiratory or skin sensitization : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause in reaction.  Germ cell mutagenicity : Not classified  Carcinogenicity : Suspected of causing cancer.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  IARC group 3 - Not classifiable  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  IARC group 3 - Not classifiable  Reproductive toxicity : Not classifiable  STOT-single exposure : May cause respiratory irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)	H 7	7 (6.8E-3 g/l, 25 °C)	
Serious eye damage/irritation : Causes serious eye irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  pH	iphenylmethanediisocyanate,isomeres and ho	omogues (9016-87-9)	
Diphenylmethane 4,4'-diisocyanate (101-68-8) pH	Н	No data available in the literature	
pH   7 (6.8E-3 g/l, 25 °C)  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  pH   No data available in the literature  Respiratory or skin sensitization : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May caken reaction.  Germ cell mutagenicity : Not classified  Carcinogenicity : Suspected of causing cancer.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  IARC group   3 - Not classifiable  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  IARC group   3 - Not classifiable  Reproductive toxicity : Not classified  STOT-single exposure : May cause respiratory irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)	erious eye damage/irritation : C	Causes serious eye irritation.	
diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  pH    No data available in the literature	iphenylmethane 4,4'-diisocyanate (101-68-8)		
PH No data available in the literature  Respiratory or skin sensitization : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May or skin reaction.  Germ cell mutagenicity : Not classified Carcinogenicity : Suspected of causing cancer.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  IARC group 3 - Not classifiable  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  IARC group 3 - Not classifiable  Reproductive toxicity : Not classified STOT-single exposure : May cause respiratory irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)	H 7	7 (6.8E-3 g/l, 25 °C)	
Respiratory or skin sensitization : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory or skin sensitization.  Germ cell mutagenicity : Not classified Carcinogenicity : Suspected of causing cancer.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  IARC group 3 - Not classifiable  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  IARC group 3 - Not classifiable  Reproductive toxicity : Not classified STOT-single exposure : May cause respiratory irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)	iphenylmethanediisocyanate,isomeres and ho	omogues (9016-87-9)	
skin reaction.  Germ cell mutagenicity : Not classified Carcinogenicity : Suspected of causing cancer.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  IARC group 3 - Not classifiable  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  IARC group 3 - Not classifiable  Reproductive toxicity : Not classified STOT-single exposure : May cause respiratory irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)	Н	No data available in the literature	
Germ cell mutagenicity : Not classified Carcinogenicity : Suspected of causing cancer.  Diphenylmethane 4,4'-diisocyanate (101-68-8)  IARC group 3 - Not classifiable  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  IARC group 3 - Not classifiable  Reproductive toxicity : Not classified STOT-single exposure : May cause respiratory irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)		flay cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic	
Diphenylmethane 4,4'-diisocyanate (101-68-8)  IARC group  3 - Not classifiable  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  IARC group  3 - Not classifiable  Reproductive toxicity  : Not classified  STOT-single exposure  : May cause respiratory irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)			
IARC group  diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  IARC group  3 - Not classifiable  Reproductive toxicity  : Not classified  STOT-single exposure  : May cause respiratory irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)	arcinogenicity : S	suspected of causing cancer.	
diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)  IARC group  Reproductive toxicity : Not classified STOT-single exposure : May cause respiratory irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)			
IARC group  Reproductive toxicity : Not classified STOT-single exposure : May cause respiratory irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)	ARC group	3 - Not classifiable	
Reproductive toxicity : Not classified STOT-single exposure : May cause respiratory irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)	iphenylmethanediisocyanate,isomeres and ho	omogues (9016-87-9)	
STOT-single exposure : May cause respiratory irritation.  Diphenylmethane 4,4'-diisocyanate (101-68-8)		3 - Not classifiable	
Diphenylmethane 4,4'-diisocyanate (101-68-8)			
		May cause respiratory irritation.	
	. c . sgio oxposaro	may eases respiratory minutering	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure :	May cause damage to organs through prolonged or repeated exposure.	
Diphenylmethane 4,4'-diisocyanate (101-68-8)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
diphenylmethanediisocyanate,isomeres and I	homogues (9016-87-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard :	Not classified	
Viscosity, kinematic :	No data available	
Diphenylmethane 4,4'-diisocyanate (101-68-8)		
Viscosity, kinematic	Not applicable (solid)	
diphenylmethanediisocyanate,isomeres and I	homogues (9016-87-9)	
Viscosity, kinematic	No data available in the literature	
Symptoms/effects after inhalation :	May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties	
	if inhaled.	
Symptoms/effects after skin contact :	Irritation. May cause an allergic skin reaction.	
Symptoms/effects after eye contact :	Eye irritation.	

# SECTION 12: Ecological information

1	2.	1	т	_	Υİ	ci	tv

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Diphenylmethane 4,4'-diisocyanate (101-68-8)		
LC50 - Fish [1]	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Read-across, Nominal concentration)	
EC50 - Crustacea [1]	129.7 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 24 h, Daphnia magna, Static system, Fresh water, Read-across, Locomotor effect)	
ErC50 algae	> 1640 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Read-across, GLP)	
diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)		
LC50 - Other aquatic organisms [1]	> 1000 mg/l (96 h, Literature study)	

# 12.2. Persistence and degradability

Diphenylmethane 4,4'-diisocyanate (101-68-8)		
Not rapidly degradable		
Persistence and degradability Not readily biodegradable in water.		
diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)		
Not rapidly degradable		
Persistence and degradability  Not readily biodegradable in water.		

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# 12.3. Bioaccumulative potential

Diphenylmethane 4,4'-diisocyanate (101-68-8)		
BCF - Fish [1]	92 – 200 (OECD 305: Bioconcentration: Flow-Through Fish Test, 4 week(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value, GLP)	
Partition coefficient n-octanol/water (Log Pow)	4.51 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 22 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)		
BCF - Fish [1] 268.1 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)		
Partition coefficient n-octanol/water (Log Pow)	tition coefficient n-octanol/water (Log Pow) 10.46 (Calculated, KOWWIN)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	

# 12.4. Mobility in soil

Diphenylmethane 4,4'-diisocyanate (101-68-8)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.53 – 5.455 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Adsorbs into the soil.	
diphenylmethanediisocyanate,isomeres and homogues (9016-87-9)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	9.078 – 10.597 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Adsorbs into the soil.	

## 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
Not regulated for transport			
14.2. Proper Shipping Name			
Not applicable	Not applicable	Not applicable	Not applicable

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT	TDG	IMDG	IATA
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

## 14.6. Special precautions for user

DOT

No data available

**TDG** 

No data available

**IMDG** 

No data available

IATA

No data available

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Diphenylmethane 4,4'-diisocyanate	CAS-No. 101-68-8	≥ 30%
diphenylmethanediisocyanate,isomeres and homogues	CAS-No. 9016-87-9	≥ 60%

## Diphenylmethane 4,4'-diisocyanate (101-68-8)

Listed on EPA Hazardous Air Pollutant (HAPS)

CERCLA RQ	5000 lb
CERCLA RQ	ai 000c

### 15.2. International regulations

### **CANADA**

## Diphenylmethane 4,4'-diisocyanate (101-68-8)

Listed on the Canadian DSL (Domestic Substances List)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### diphenylmethanediisocyanate, isomeres and homogues (9016-87-9)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

## Diphenylmethane 4,4'-diisocyanate (101-68-8)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

## diphenylmethanediisocyanate, isomeres and homogues (9016-87-9)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Diphenylmethane 4,4'-diisocyanate(101-68-8)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
diphenylmethanediisocyanate,isomeres and homogues(9016-87-9)	U.S New Jersey - Right to Know Hazardous Substance List

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.