

Version: 2 Issue Date: 6-26-2015 Revision Date: 8-4-2022

ASI 335WS Colors

Section 1: Product and Company Identification

American Sealants, Inc. 9190 Yeager Ln Fort Wayne, Indiana 46809 Phone: 260-489-0728 Fax: 260-489-0519	Emergency Phone Number Infotrac: +1-800-535-5053 (Within US) Infotrac: +1-352-323-3500 (Outside US)
Product Identifier: Recommended Use: Restrictions on Use:	ASI 335WS (color specific) RTV rubbers (electrical, electronic and general industry (gluing and sealing)) Industrial use only.

Section 2: Hazard(s) Identif			
Physical Hazards	Not classified		
Health Hazards	Serious eye damage/eye irritation	Category 2	
	Sensitization, skin	Category 1	
	Reproductive toxicity (fertility)	Category 2	
	Specific target organ toxicity, repeated exposure	Category 2 (hematopoietic system)	
Environmental Hazards	Not classified		
OSHA defined hazards	Not classified		
* Hazards not stated here	are "Not classified", "Not applicable" or "Cla	assification not possible"	
Signal Word	Warning		
Hazard Statement	Causes serious eye irritation. May cause an allergic skin reaction. Suspected of damaging fertility. May cause damage to organs (hematopoietic system) through prolonged or repeated exposure.		
Precautionary Statement			
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.		
Response	IF ON SKIN: Wash with plenty of soar occurs: Get medical advice/attention feel unwell.		

Product Identifier: ASI 335WS Colors

Version: 2

Storage	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known
Supplemental information	None
Substance(s) formed under the condition of use	This product reacts with water, moisture or humid air to evolve following compounds: Methylethylketoxime
HMIS [®] ratings	Health: 2* Flammability: 1 Physical Hazard: 0

ection 3: Comp	osition/Information on Ingredients	
<u>CAS</u>	<u>Component</u>	Percent
Proprietary	Methyloximesilane*	1 - < 3
Proprietary	Vinyloximesilane*	< 1
Proprietary	Alkoxysilane*	< 1
96-29-7	Methylethylketoxime (Impurity)	< 1
556-67-2	Octamethylcyclotetrasiloxane (Impurity)	< 1
*Designates that secret.	a specific chemical identity and/or percentage of composition ha	as been withheld as a trade

Section 4: First-Aid Measures

Inhalation:	Move to fresh air. Call a physician if symptoms develop or persist
Skin Contact	Wash off with soap and plenty of water. For minor skin contact, avoid spreading material on unaffected skin. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Eye Contact Ingestion	Rinse immediately with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Rinse mouth. Get medical attention immediately.
Most important symptoms/effects, acute and delayed Indication of immediate medical attention and special treatment needed	Dermatitis. Rash. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Prolonged exposure may cause chronic effects. Treat Symptomatically

Product Identifier: ASI 335WS Colors

General	If exposed or concerned:
Information	Get medical advice/attention.
	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Wash contaminated clothing before reuse.

Section 5: Fire-Fighting Measures				
Suitable Extinguishing Media:	Use carbon dioxide, regular dry chemical powder, foam, or water fog.			
Unsuitable Extinguishing Media:	None known.			
Specific Hazards Arising from the Chemical	By heating and fire, harmful vapors/gases may be formed. Nitrogen oxides. (corrosive)			
Specific protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet, gloves, rubber boots, and self-contained breathing apparatus.			
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.			
General fire hazards	No unusual fire or explosion hazards noted			

Section 6: Accidental Release Measures				
Personal Precautions, Protective Equipment and Emergency Procedures:	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Do not touch or			
	walk-through spilled material. Ensure adequate ventilation. Wear appropriate personal protective equipment.			
Methods and Materials for	Eliminate sources of ignition.			
Containment and Cleaning Up:	Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.			
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece).			
	Clean surface thoroughly to remove residual contamination.			
Environment Precautions:	Never return spills in original containers for re-use. Prevent further leakage or spillage if safe to do so.			

Section 7: Handling and Storage				
Precautions for Safe Handling	Provide adequate ventilation. Use care in handling/storage. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Avoid contact with eyes. Avoid contact with skin.			
Conditions for Safe Storage, including any Incompatibilities:	Store locked up. Keep in original container and tightly closed. Keep out of the reach of children. Store in a cool, dry place out of direct sunlight. Keep in original container.			

Product Identifier: ASI 335WS Colors

Section 8: Exposure Con			
Occupational Exposure Lin			
US. Workplace Environme	ntal Exposure Lebe	l (WEEL) Guides	
Components	Туре	Value	
Methylethylketoxime (Impurity) (CAS 96-29-7) Vendor Guide	TWA	36 mg/m3 10 ppm	Total dust
Components	Туре	Value	
Methylethylketoxime (Impurity) (CAS 96-29-7) Biological limit values	STEL TWA No biological expo	10 ppm 3 ppm osure limits noted for the ingre	dient(s)
Appropriate engineering controls Individual protection meas	Provide adequate general and local exhaust ventilation. Provide eyewash station. Pay attention to ventilation such as local exhaust, mechanical and/or door open for at least 24 hours after application. sures, such as personal protective equipment		
Eye/face protection	Tightly sealed safety glasses according to EN 166		
Skin protection			
Hand protection	Wear protective gloves		
Other	Wear suitable pro	•	
Respiratory protection Thermal Hazards	If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection. Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerationsAvoid contact with eyes. Avoid contact with skin. When using, do not eat, dr smoke. Keep away from food and drink. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should allowed out of the workplace. Handle in accordance with good industrial hyp and safety practice.		ands before breaks and inated work clothing should not be	

Section 9: Physical and Chemical Properties				
Appearance	Paste	Color:	In accordance with product description	
Odor:	Oxime odor	Odor Threshold:	Not available	
pH:	Not applicable	Melting Point/freezing point:	Not applicable	
Initial boiling point and boiling range:	Not applicable	Flash point:	204.8 °F (96 °C) Closed cup	
Evaporation Rate:	< 1 (Butyl Acetate=1)	Flammability (soild, gas)	Not applicable	
Upper/lower flammability or explosive limits	No data	Vapor Pressure:	Negligible (25 °C)	
Vapor Density (air = 1):	> 1 (air=1)	Density:	1.03 (25 °C)	
Water Solubility	Not soluble	Partition Coefficient (n- octanol/water)	Not applicable	
Auto Ignition:	Not available	Decomposition temperature	Not available	

Version: 2

Viscosity:	Not applicable	Molecular Formula:	Not applicable
Section 10: Stability and Reactivity			

Reactivity:	No hazardous reaction known under normal conditions of use, storage and transport.
Chemical Stability:	Stable at normal temperatures and pressure.
Possibility of Hazardous Reactions:	Hazardous polymerization does not occur.
Conditions to Avoid:	None known.
Incompatible Materials:	Strong oxidizing materials, water, moisture
Hazardous Decomposition Products:	This product reacts with water, moisture or humid air to evolve following compounds: Methylethylketoxime. Refer to section 8: exposure controls/personal protection and section 11: toxicological information. Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide, Nitrogen oxides, and Formaldehyde.

Section 11: T	oxicological Informa	tion					
Information o	n Likely Routes of Expo	osure					
Ingestion	:	No sign	ificant effects are e	xpected.			
Inhalatior	n:	No sign	ificant effects are e	xpected.			
Skin Cont	act:	May cau	use an allergic skin	reaction.			
Eye Contact:		Causes	Causes serious eye irritation.				
chemical, and characteristics	s n toxicological effects		redness, swelling,	•	Symptoms may inclu vision. May cause an	0 0,	
CAS	Component		Result	Species	Dose	Exposure	
			LD50 Oral	Rat	2995 mg/kg 2400 mg/kg	N/A	
Proprietary	Alkoxysilane		LC50 Inhalation	Bat	1 49-2 44 mg/l	4 hr	

Proprietary	Alkoxysilane		LC50 Inhalation	Rat	1.49-2.44 mg/L	4 hr
			LD50 Dermal	Rabbit	>2000 mg/kg 16 ml/kg	N/A
96-297	Methylethylketoxim	e	LD50 Oral	Rat	930 mg/kg	N/A
90-297	(Impurity)		LD50 Dermal	Rabbit	200 µl/kg	N/A
Skin corrosion/irritation SKIN-RAE		BIT : Moderately irr	itating [Alkox	ysilane]		
		SKIN-RAE	3BIT : 500mg/24 r M	ILD [Octamet	hylcyclotetrasiloxane	e]
Serious eye damage/eye irritation Causes		Causes se	Causes serious eye damage. [Vinyloximesilane] [Methylethylketoxime]			
		EYE-RABI	BIT: 15 mg SEVERE [/	Alkoxysilane]		

	Causes serious eye irritation [Methyloximesilane]
	EYE-RABBIT: MILD [Octamethylcyclotetrasiloxane]
Respiratory or skin sensitization	
Respiratory sensitization	Not available
Skin sensitization	May cause an allergic skin reaction.
	[Methyloximesilane][Vinyloximesilane][Methylethylketoxime]
	Positive (Guinea Pig) [Alkoxysilane]
	No evidence of sensitization [Octamethylcyclotetrasiloxane]
Germ Cell mutagenicity	Negative(Ames test, Chromosome analysis, Micronucleus test)
	[Alkoxysilane]
Consistentiaiten	Negative(Bacteria) [Octamethylcyclotetrasiloxane]
Carcinogenicity:	Suspected of causing cancer. [Methylethylketoxime]
	d Substances (29 CFR 1910.1001-1050)
Not listed	
Reproductive toxicity	Octamethylcyclotetrasiloxane administered to rats by whole body
	inhalation at concentrations of 500 and 700 ppm for 70 days prior to
	mating, through mating, gestation and lactation resulted in decreases in
	live litter size. Additionally, increases in the incidence of deliveries of
	offspring extending over an unusually long time period (dystocia) were
	observed at these concentrations. Statistically significant alterations in
	these parameters were not observed in the lower concentrations evaluated (300 and 70 ppm). In a previous range-finding study, rats
	exposed to vapor concentrations of 700 ppm had decreases in the
	number of implantation sites and live litter size. The significance of these
	findings to humans is not known. [Octamethylcyclotetrasiloxane]
	Developmental toxicity: NOAEL 500mg/kg/day (Rat), Maternal toxicity:
	NOAEL 500mg/kg/day (Rat) [Alkoxysilane]
Specific target organ toxicity-single	
exposure	
Specific Target Organ Toxicity –	May cause damage to the following organs through prolonged or
Repeated Exposure:	repeated exposure:
	Hematopoietic system.[Vinyloximesilane]
	Hematopoietic system.[Methyloximesilane]
	Repeated inhalation or oral exposure of mice and rats to
	octamethylcyclotetrasiloxane produced an increase in liver size. No gross histopathological or significant clinical chemistry effects were observed.
	An increase in liver metabolizing enzymes, as well as a transient increase
	in the number of normal cells (hyperplasia) followed by an increase in cell
	size (hypertrophy) were determined to be the underlying causes of the
	liver enlargement. The biochemical mechanisms producing these effects
	are highly sensitive in rodents, while similar mechanisms in humans are
	insensitive. A two year combined chronic and carcinogenicity assay was
	conducted on octamethylcyclotetrasiloxane. Rats were exposed by whole-
	body vapor inhalation 6hrs/day, 5days/week for up to 104weeks to 0, 10,
	30, 150 or 700ppm of octamethylcyclotetrasiloxane. The increase in
	incidence of (uterine) endometrial cell hyperplasia and uterine adenomas
	(benign tumors) were observed in female rats at 700ppm. Since these
	effects only occurred at 700ppm, a level that greatly exceeds typical
	workplace or consumer exposure, it is unlikely that industrial, commercial

Aspiration Hazard	or consumer uses of products containing octamethylcyclotetrasiloxane would result in a significant risk to humans. [Octamethylcyclotetrasiloxane] Not available
Chronic effects	Not available
Chronic effects Further Information:	 Methyl Ethyl Ketoxime (MEKO). Material will generate MEKO on exposure to humid air gradually. Male rodents exposed to MEKO vapor at high concentration throughout their lifetime developed liver cancer. But relevance to humans is uncertain now. Please read the detail information to MEKO below: Skin Irritation Causes mild irritation. Can be absorbed through the skin. Eyes Irritation Causes severe irritation Acute Oral Tox. LD50(rat)=>900 mg/kg Acute Dermal Tox. LD50(rat)=>900 mg/kg Acute Inhalation Tox. LD50(rat)>4.83 mg/l/4 hr Inhalation Tox. Shows narcotic action at high concentration. May produce blood effects Skin Sensitization Positive (guinea pig) Neurotoxicity High dose can produce transient and reversible change in neurobehavioral function. Carcinogenicity Liver carcinomas were observed in a lifetime inhalation study (ca.2 years) in which mice and rats were exposed. Other Chronic Study Degenerative effects on the olfactory epithelium of nasal passages occurred in a concentration related manner in males and females of mice and rats at MEKO concentration of 15,75, and 375 ppm. The significant change in hematological parameters were observed at 404 ppm concentration.
	Workplace Environmental Exposure Level Vendor Guide 3ppm (TWA), 10ppm (STEL), AIHA WEEL, 10ppm (TWA)

Section 12: Ecological Information

Ecotoxicity

Toxic to aquatic life. Toxic to aquatic life with long lasting effects. [Alkoxysilane] May cause long lasting harmful effects to aquatic life. [Octamethylcyclotetrasiloxane]

Component Analysis – Aquatic Toxicity

CAS	Component	Aquatic	Result	Species	Dose	Exposure
			LC50	Bluegill (<i>Lepomis</i> macrochirus)	>100 mg/L	96 hr
Proprietary	Alkoxysilane	Fish	LC50	Fathead minnow (Pimephales promelas)	>100 mg/L	96 hr

Product Identifier: ASI 335WS Colors

			LC50	Rainbow trout (Oncorhynchus mykiss)	>100 mg/L	96 hr
		Algoo	EbC50	Green algae (Selenastrum capricornutum)	5.5 mg/L	72 hr
		Algae	ErC50	Green algae (Selenastrum capricornutum)	8.8 mg/L	72 hr
96-29-7	Methylethylketoxime (Impurity)	Fish	LC50	Fathead minnow (Pimephales promelas)	777-914 mg/L	96 hr
		Bio cono	centration ethylcyclo ilable	rolysis in water or atı n Factor(BCF) / (Fathe ıtetrasiloxane]		-


Section 13: Disposal Considerations	
Disposal instructions	Follow applicable Federal, State and Local regulations

Section 14: Transport Information		
DOT		
Not regulated as dangerous goods		
ΙΑΤΑ		
Not regulated as dangerous goods		
IMDG		
Not regulated as dangerous goods		
Transport in bulk according to Annex II of MARPOL 73/78 and IBC Code	This product is not intended to be transported in bulk	

Section 15: Regulatory Inform	mation
US Federal Regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List
OSHA Specifically Regula Not listed	ted Substances (29 CFR 1910.1001-1050)
Superfund Amendments and Reaut	thorization Act of 1986 (SARA)

SARA 313 (TRI reporting)		
US State regulations		
US. Massachusetts RTK – Subs	tance List	
Not regulated		
US. New Jersey Worker and C	ommunity Right-to-Know Act	
Not listed		
US. Pennsylvania Worker and Not listed	Community Right-to-Know Law	
US. Rhode Island RTK Not regulated		
US. California Proposition 65		
-	/ater and Toxic Enforcement Act of 1986 (Pro	position 65): This material is not know to
contain any chemicals cur	rently listed as carcinogens or reproductive to	oxins.
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory if Chemical	Yes
	Substances (AICS)	
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China		Yes
China	Inventory if Existing Chemical Substances in China (IECSC)	res
Europe	European Inventory of Existing Commercial Chemical Substances	Yes
	(EEINECS)	
Europe	European List of Notified Chemical	Νο
	Substances (ELINCS)	
Japan	Inventory of Existing and New	Yes
	Chemical Substance (ENCS)	
Korea	Existing Chemical List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals	Yes
	and Chemical Substances (PICCS)	
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
* A "Yes" indicates that all compo	nents of this product comply with the inv	entory requirements administered by
the governing country(s)		
A "No" indicates that one or more	components of the product are not liste	d or exempt from listing on the
inventory administered by the gov		· -
, , ,		

Section 16: Other Information		
Issue Date:	6-26-2015	
Revision Date:	8-4-2022	
Revision:	2	
NFPA Ratings:		
Health:	2	
Fire:	1	



Disclaimer:

The information contained herein is based on data considered accurate which has been obtained from other companies and organizations.

End of Document