

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 3/21/2024 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : EPX50-OVERLAY FAST Part B

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Echem
4102 El Rey Road SE
Albuquerque, New Mexico
United States
T (505) 832-3667 - F (505) 217-3721
https://e-chem.net/

1.4. Emergency telephone number

Emergency number : 1-800-424-9300

For Chemical Emergency Call Chemtrec 24hr/day 7days/week

Within USA and Canada: 1-800-424-9300 Outside USA and Canada: 703-527-3887

(collect calls accepted)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Acute toxicity (oral) Category 4	H302	Harmful if swallowed
Acute toxicity (dermal) Category 4	H312	Harmful in contact with skin
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 1	H318	Causes serious eye damage
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Reproductive toxicity Category 2	H361	Suspected of damaging fertility or the unborn child
Hazardous to the aquatic environment – Acute Hazard Category 1	H400	Very toxic to aquatic life
Hazardous to the aquatic environment – Chronic Hazard Category 1	H410	Very toxic to aquatic life with long lasting effects

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)









Signal word (GHS US)
Hazard statements (GHS US)

: H302+H312 - Harmful if swallowed or in contact with skin

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H318 - Causes serious eye damage

H361 - Suspected of damaging fertility or the unborn child

Safety Data Sheet

Precautionary statements (GHS US)

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P310 - Immediately call a poison center or doctor.

P312 - Call a poison center or doctor if you feel unwell.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P322 - Specific treatment (see supplemental first aid instruction on this label)

P330 - Rinse mouth.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage.

P405 - Store locked up.

 $\ensuremath{\mathsf{P501}}$ - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Phenol, 4-nonyl-, branched	CAS-No.: 84852-15-3	≥ 60	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cyclic Ethyleneamine	CAS-No.: 140-31-8	5 – 30	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Polyoxypropylenediamine	CAS-No.: 9046-10-0	< 30	Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412
2,4,6-tris(dimethylaminomethyl)phenol	CAS-No.: 90-72-2	1 – 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319
2-methylpentane-1,5-diamine	CAS-No.: 15520-10-2	≥1	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 3, H402
cashew, nutshell liquid	CAS-No.: 8007-24-7	<1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 STOT SE 3, H335 Aquatic Chronic 3, H412

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if

you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

3/21/2024 (Issue date) US - en 3/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin, eyes and clothing. Avoid breathing

dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle

until all safety precautions have been read and understood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

EPX50-OVERLAY FAST Part B

No additional information available

Cyclic Ethyleneamine (140-31-8)

No additional information available

3/21/2024 (Issue date) US - en 4/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-methylpentane-1,5-diamine (15520-10-2)

No additional information available

Polyoxypropylenediamine (9046-10-0)

No additional information available

2,4,6-tris(dimethylaminomethyl)phenol (90-72-2)

No additional information available

cashew, nutshell liquid (8007-24-7)

No additional information available

Phenol, 4-nonyl-, branched (84852-15-3)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Mixture contains one or more component(s) which have the following colour(s):

Colourless to light yellow Colourless Light yellow light yellow Dark brown Pure substance:

colourless to white On exposure to air: rose to brown Colourless to yellow

Odor : There may be no odour warning properties, odour is subjective and inadequate to warn of

overexposure.

Mixture contains one or more component(s) which have the following odour:

Irritating/pungent odour Smell of fish Amine-like odour Amine-like Characteristic odour Sweet

odour Aromatic odour Mild odour Phenol odour

Odor threshold : No data available

3/21/2024 (Issue date) US - en 5/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hq : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available Flash point : No data available Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. No data available Vapor pressure Relative vapor density at 20°C No data available Relative density No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** : No data available Explosive properties : No data available Oxidizing properties No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Harmful in contact with skin.

Acute toxicity (inhalation) : Not classified

EPX50-OVERLAY FAST Part B

ATE US (oral) 759.55 mg/kg body weight

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EPX50-OVERLAY FAST Part B		
ATE US (dermal)	1887.691 mg/kg body weight	
Cyclic Ethyleneamine (140-31-8)		
LD50 oral rat	2097 mg/kg body weight (Rat, Male, Experimental value, Oral, 14 day(s))	
LD50 oral	1470 mg/kg	
LD50 dermal rabbit	866 mg/kg bw/day (24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s))	
LD50 dermal	880 mg/kg	
ATE US (oral)	1470 mg/kg body weight	
ATE US (dermal)	866 mg/kg body weight	
2-methylpentane-1,5-diamine (15520-10-2)		
LD50 oral rat	1690 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 14 day(s))	
LD50 dermal rat	1870 mg/kg body weight (Equivalent or similar to OECD 402, Rat, Male / female, Read-across, Dermal, 14 day(s))	
LC50 Inhalation - Rat	4.9 mg/l air (Equivalent or similar to OECD 403, 1 h, Rat, Male / female, Experimental value, Inhalation (mist), 14 day(s))	
ATE US (oral)	1690 mg/kg body weight	
ATE US (dermal)	1870 mg/kg body weight	
ATE US (gases)	4500 ppmV/4h	
ATE US (vapors)	4.9 mg/l/4h	
ATE US (dust, mist)	4.9 mg/l/4h	
Polyoxypropylenediamine (9046-10-0)		
LD50 oral rat	2885 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)	
LD50 dermal rabbit	2980 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal)	
LC50 Inhalation - Rat	> 0.74 mg/l air (Equivalent or similar to OECD 403, 8 h, Rat, Male / female, Experimental value, Inhalation (vapours))	
ATE US (oral)	2885 mg/kg body weight	
ATE US (dermal)	2980 mg/kg body weight	
2,4,6-tris(dimethylaminomethyl)phenol (90-72-2)		
LD50 oral rat	2169 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))	
LD50 oral	1000 mg/kg	
LD50 dermal rat	1280 mg/kg	
LD50 dermal	1280 mg/kg	
ATE US (oral)	1000 mg/kg body weight	
ATE US (dermal)	1280 mg/kg body weight	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cashew, nutshell liquid (8007-24-7)	
LD50 oral rat	> 2000 mg/kg (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Skin, 14 day(s))
Phenol, 4-nonyl-, branched (84852-15-3	3)
LD50 oral rat	1412 mg/kg body weight (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	580 mg/kg
LD50 dermal rabbit	3160 mg/kg Source: ChemIDPlus
LD50 dermal	2037 mg/kg
ATE US (oral)	580 mg/kg body weight
ATE US (dermal)	2037 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Cyclic Ethyleneamine (140-31-8)	
рН	11.5
2-methylpentane-1,5-diamine (15520-10	0-2)
рН	No data available in the literature
2,4,6-tris(dimethylaminomethyl)phenol	(90-72-2)
рН	11 (10 %)
Phenol, 4-nonyl-, branched (84852-15-3	3)
рН	No data available in the literature
Serious eye damage/irritation	: Causes serious eye damage.
Cyclic Ethyleneamine (140-31-8)	
рН	11.5
2-methylpentane-1,5-diamine (15520-10	0-2)
рН	No data available in the literature
2,4,6-tris(dimethylaminomethyl)phenol	(90-72-2)
рН	11 (10 %)
Phenol, 4-nonyl-, branched (84852-15-3	
pH	No data available in the literature
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
Phenol, 4-nonyl-, branched (84852-15-3	3)
NOAEL (animal/female, F0/P)	15 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Remarks on results: other:Generation: All generations tested: F0, F1, F2, F3 (migrated information)
NOAEL (animal/male, F1)	15 mg/kg body weight Animal: rat, Animal sex: male, Guideline: other:EPA OPPTS 837.3800 (US EPA OPPTS 1998)

3/21/2024 (Issue date) US - en 8/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

STOT-single exposure :	Not classified	
2-methylpentane-1,5-diamine (15520-10-2)		
STOT-single exposure	May cause respiratory irritation.	
cashew, nutshell liquid (8007-24-7)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure :	Not classified	
Phenol, 4-nonyl-, branched (84852-15-3)		
LOAEL (oral,rat,90 days)	400 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)	
NOAEL (oral,rat,90 days)	100 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)	
-	Not classified No data available	
	NO data available	
Cyclic Ethyleneamine (140-31-8)	I	
Viscosity, kinematic	No data available in the literature	
2-methylpentane-1,5-diamine (15520-10-2)		
Viscosity, kinematic	No data available in the literature	
Polyoxypropylenediamine (9046-10-0)		
Viscosity, kinematic	10.9 mm ² /s (20 °C, OECD 114: Viscosity of Liquids)	
2,4,6-tris(dimethylaminomethyl)phenol (90-72-2)		
Viscosity, kinematic	206.186 mm²/s	
Phenol, 4-nonyl-, branched (84852-15-3)		
Viscosity, kinematic	No data available in the literature	
· ·	Tritation. May cause an allergic skin reaction. Serious damage to eyes.	

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	 ery toxic to aquatic life with long lasting effects.

Cyclic Ethyleneamine (140-31-8)		
LC50 - Fish [1]	2190 mg/l (96 h, Pimephales promelas, Static system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	58 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Experimental value, GLP)	
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
ErC50 algae	> 1000 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Fresh water, Experimental value, GLP)	
2-methylpentane-1,5-diamine (15520-10-2)		
LC50 - Fish [1]	1825 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Static system, Fresh water, Read-across, Nominal concentration)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-methylpentane-1,5-diamine (15	,	
EC50 - Crustacea [1]	19.8 – 23.4 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Read-across, Nominal concentration)	
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Read-across, GLP)	
Polyoxypropylenediamine (9046-	10-0)	
LC50 - Fish [1]	772.14 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinodon variegatus, Static system, Salt water, Experimental value, GLP)	
EC50 - Crustacea [1]	80 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	
ErC50 algae	15 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)	
2,4,6-tris(dimethylaminomethyl)p	phenol (90-72-2)	
LC50 - Fish [1]	175 mg/l (APHA, 96 h, Cyprinus carpio, Static system, Fresh water, Experimental value, Nominal concentration)	
LC50 - Fish [2]	180 – 240 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 72h - Algae [1]	84 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 96h - Algae [1]	34.812 mg/l Source: ECOSAR	
ErC50 algae	84 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)	
Phenol, 4-nonyl-, branched (84852-15-3)		
LC50 - Fish [1]	0.08 mg/l (ASTM E729-96, 96 h, Hybopsis monacha, Static system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	0.084 mg/l (ASTM E729-88, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, Lethal)	
EC50 72h - Algae [1]	0.33 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
ErC50 algae	0.027 mg/l	
NOEC chronic fish	0.006 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '91 d'	

12.2. Persistence and degradability

Cyclic Ethyleneamine (140-31-8)		
Not rapidly degradable		
Persistence and degradability	Not readily biodegradable in water.	
Chemical oxygen demand (COD) 0.56 g O ₂ /g substance		
2-methylpentane-1,5-diamine (15520-10-2)		
Persistence and degradability Readily biodegradable in water.		
Polyoxypropylenediamine (9046-10-0)		
Not rapidly degradable		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Persistence and degradability Not readily biodegradable in water. 2,4,6-tris(dimethylaminomethyl)phenol (90-72-2) Not rapidly degradable Persistence and degradability Not readily biodegradable in water. Persistence and degradability Readily biodegradable in water. Persistence and degradability Readily biodegradable in water. Phenol, 4-nonyl-, branched (84852-15-3) Not rapidly degradabile Persistence and degradability Biodegradability in soil: no data available. Inherently biodegradable. Persistence and degradability Biodegradability in soil: no data available. Inherently biodegradable. 2.3. Bioaccumulative potential Cyclic Ethyleneamine (140-31-8) BCF - Fish [1] 0.3 – 6.3 (OECD 305: Bioconcentration: Flow-Through Fish Test, 6 week(s), Cyprinus carplo, Flow-through system, Fresh water, Read-across) Partition coefficient n-octanol/water (Log Pow) 4.1.48 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C) Partition coefficient n-octanol/water (Log Pow) 5.1 (Experimental value, US EPA, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). Polyoxypropylenediamine (9046-10-0) Partition coefficient n-octanol/water (Log Pow) 1.3.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2,4,6-tris(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) -0.66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 21.5 °C) Bioaccumulative potential Note officient (n-octanol/water), Shake Flask Method, 20 °C) Partition coefficient n-octanol/water (Log Pow) -0.66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 20 °C) Partition coefficient n-octanol/water (Log Pow) -0.66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 20 °C)			
Not rapidly degradable Persistence and degradability Readily biodegradable in water. Cashew, nutshell liquid (8007-24-7) Persistence and degradability Readily biodegradable in water. Cashew, nutshell liquid (8007-24-7) Persistence and degradability Readily biodegradable in water. Phenol, 4-nonyl-, branched (84852-15-3) Not rapidly degradable Persistence and degradability Biodegradability in soil: no data available. Inherently biodegradable. Cyclic Ethyleneamine (140-31-8) BCF - Fish [1] 0.3 - 6.3 (OECD 305: Bioconcentration: Flow-Through Fish Test, 6 week(s), Cyprinus carpio, Flow-through system, Fresh water, Read-across) Partition coefficient n-octanol/water (Log Pow) 4.148 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500). 2-methylpentane-1,5-diamine (15520-10-2) Partition coefficient n-octanol/water (Log Pow) 51 (Experimental value, US EPA, 25 °C) Low potential for bioaccumulation (Log Kow < 4). Polyoxypropylenediamine (9046-10-0) Partition coefficient n-octanol/water (Log Pow) 1.34 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2.4,6-trisc(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) -0.66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 21.5 °C) Bioaccumulative potential -0.66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 21.5 °C) Shake, nutshell liquid (8007-24-7) Partition coefficient n-octanol/water (Log Pow) -6.7 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	Polyoxypropylenediamine (9046-10-0)		
Not rapidly degradable Persistence and degradability Readily biodegradable in water. Phenol, 4-nonyl-, branched (84852-15-3) Not rapidly degradable in water. Phenol, 4-nonyl-, branched (84852-15-3) Not rapidly degradable Persistence and degradability Biodegradability in soil: no data available. Inherently biodegradable. 2.2.3. Bioaccumulative potential Cyclic Ethyleneamine (140-31-8) BGF - Fish [1] 0.3 – 6.3 (OECD 305: Bioconcentration: Flow-Through Fish Test, 6 week(s), Cyprinus carpio, Flow-through system, Fresh water, Read-across) Partition coefficient n-octanol/water (Log Pow) 1-1.48 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C) Bioaccumulative potential 2-methylpentane-1,5-diamine (15520-10-2) Partition coefficient n-octanol/water (Log Pow) 5 1 (Experimental value, US EPA, 25 °C) Low potential for bioaccumulation (Log Kow < 4). Polyoxypropylenediamine (9046-10-0) Partition coefficient n-octanol/water (Log Pow) 1.3.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2.4.6-trisc/dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) 3.66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 21.5 °C) Bioaccumulative potential Not bioaccumulative. 2.3.6-17 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	Persistence and degradability	Not readily biodegradable in water.	
Persistence and degradability Readily biodegradable in water. Phenol, 4-nonyl-, branched (84852-15-3) Not rapidly degradable Persistence and degradability Biodegradability in soil: no data available. Inherently biodegradable. Persistence and degradability Biodegradability in soil: no data available. Inherently biodegradable. 2.2.3. Bioaccumulative potential Cyclic Ethyleneamine (140-31-8) BCF - Fish [1] 0.3 - 6.3 (OECD 305: Bioconcentration: Flow-Through Fish Test, 6 week(s), Cyprinus carpio, Flow-through system, Fresh water, Read-across) Partition coefficient n-octanol/water (Log Pow) 1.48 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C) Partition coefficient n-octanol/water (Log Pow) \$1 (Experimental value, US EPA, 25 °C) Low potential for bioaccumulation (Log Kow < 4). Polyoxypropylenediamine (9046-10-0) Partition coefficient n-octanol/water (Log Pow) \$1,34 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2.4.6-tris(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) \$1,34 (Experimental value, DECD 117: Partition Coefficient (n-octanol/water), Shake Flask Method, 21.5 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2.4.6-tris(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) \$1,66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 21.5 °C) Partition coefficient n-octanol/water (Log Pow) \$2,67 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	2,4,6-tris(dimethylaminomethyl)phenol (90-72-	-2)	
Persistence and degradability Readily biodegradable in water. Phenol, 4-nonyl-, branched (64852-15-3) Not rapidly degradable Persistence and degradability Biodegradability in soil: no data available. Inherently biodegradable. 12.3. Bioaccumulative potential Cyclic Ethyleneamine (140-31-8) BCF - Fish [1] 0.3 - 6.3 (OECD 305: Bioconcentration: Flow-Through Fish Test, 6 week(s), Cyprinus carplo, Flow-through system, Fresh water, Read-across) Partition coefficient n-octanol/water (Log Pow) 1.4.8 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C) Bioaccumulative potential Low potential Icow po	Not rapidly degradable		
Persistence and degradability Readily biodegradable in water. Phenol, 4-nonyl-, branched (84852-15-3) Not rapidly degradable Persistence and degradability Biodegradability in soil: no data available. Inherently biodegradable. 2.3. Bioaccumulative potential Cyclic Ethyleneamine (140-31-8) BCF - Fish [1] 0.3 − 6.3 (OECD 305: Bioconcentration: Flow-Through Fish Test, 6 week(s), Cyprinus carpio, Flow-through system, Fresh water, Read-across) Partition coefficient n-octanol/water (Log Pow) 1.48 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500). Partition coefficient n-octanol/water (Log Pow) 2.1 (Experimental value, US EPA, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). Polyoxypropylenediamine (9046-10-0) Partition coefficient n-octanol/water (Log Pow) 1.34 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2.4,6-tris(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) 5hake Flask Method, 21.5 °C) Bioaccumulative potential Not bioaccumulative. Not bioaccumulative. Partition coefficient n-octanol/water (Log Pow) 5hake Flask Method, 20 °C) Partition coefficient n-octanol/water (Log Pow) 5hake Flask Method, 20 °C)	Persistence and degradability	Not readily biodegradable in water.	
Phenol, 4-nonyl-, branched (84852-15-3) Not rapidly degradable Persistence and degradability Biodegradability in soil: no data available. Inherently biodegradable. 2.3. Bioaccumulative potential Cyclic Ethyleneamine (140-31-8) BCF - Fish [1] D.3. = 6.3 (OECD 305: Bioconcentration: Flow-Through Fish Test, 6 week(s), Cyprinus carplo, Flow-through system, Fresh water, Read-across) Partition coefficient n-octanol/water (Log Pow) Siloaccumulative potential Low potential for bioaccumulation (BCF < 500). Polyoxypropylenediamine (9046-10-0) Partition coefficient n-octanol/water (Log Pow) 1.34 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). Polyoxypropylenediamine (9046-10-0) Partition coefficient n-octanol/water (Log Pow) 1.34 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential 2.4,6-tris(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) Shake Flask Method, 21.5 °C) Partition coefficient n-octanol/water (Log Pow) Shake Flask Method, 20 °C)	cashew, nutshell liquid (8007-24-7)		
Not rapidly degradable Persistence and degradability Biodegradability in soil: no data available. Inherently biodegradable. 2.3. Bioaccumulative potential Cyclic Ethyleneamine (140-31-8) BCF - Fish [1] Ciow-through system, Fresh water, Read-across) Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) Caperbylpentane-1,5-diamine (15520-10-2) Partition coefficient n-octanol/water (Log Pow) S1 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C) Bioaccumulative potential Low potential tor bioaccumulation (BCF < 500). S1 (Experimental value, US EPA, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). Polyoxypropylenediamine (9046-10-0) Partition coefficient n-octanol/water (Log Pow) 1.34 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2.4,6-tris(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) Shake Flask Method, 20 °C) Partition coefficient n-octanol/water (Log Pow) Shake Flask Method, 20 °C) Partition coefficient (n-octanol/water) (Log Pow) Shake Flask Method, 20 °C)	Persistence and degradability	Readily biodegradable in water.	
Persistence and degradability Biodegradability in soil: no data available. Inherently biodegradable. 2.3. Bioaccumulative potential Cyclic Ethyleneamine (140-31-8) BCF - Fish [1]	Phenol, 4-nonyl-, branched (84852-15-3)		
Cyclic Ethyleneamine (140-31-8) BCF - Fish [1]	Not rapidly degradable		
Cyclic Ethyleneamine (140-31-8) BCF - Fish [1] 0.3 – 6.3 (DECD 305: Bioconcentration: Flow-Through Fish Test, 6 week(s), Cyprinus carpio, Flow-through system, Fresh water, Read-across) -1.48 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500). 2-methylpentane-1,5-diamine (15520-10-2) Partition coefficient n-octanol/water (Log Pow) Siloaccumulative potential Low potential for bioaccumulation (Log Kow < 4). Polyoxypropylenediamine (9046-10-0) Partition coefficient n-octanol/water (Log Pow) 1.34 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2.4,6-tris(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) -0.66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 21.5 °C) Bioaccumulative potential Not bioaccumulative. 2.ashew, nutshell liquid (8007-24-7) Partition coefficient n-octanol/water (Log Pow) -6.7 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	Persistence and degradability	Biodegradability in soil: no data available. Inherently biodegradable.	
BCF - Fish [1] 0.3 – 6.3 (OECD 305: Bioconcentration: Flow-Through Fish Test, 6 week(s), Cyprinus carpio, Flow-through system, Fresh water, Read-across) Partition coefficient n-octanol/water (Log Pow) -1.48 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500). 2-methylpentane-1,5-diamine (15520-10-2) Partition coefficient n-octanol/water (Log Pow) S1 (Experimental value, US EPA, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). Polyoxypropylenediamine (9046-10-0) Partition coefficient n-octanol/water (Log Pow) 1.34 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2.4,6-tris(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) -0.66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 21.5 °C) Bioaccumulative potential Not bioaccumulative. 2-ashew, nutshell liquid (8007-24-7) Partition coefficient n-octanol/water (Log Pow) -6.7 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	12.3. Bioaccumulative potential		
Flow-through system, Fresh water, Read-across) Partition coefficient n-octanol/water (Log Pow) -1.48 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500). 2-methylpentane-1,5-diamine (15520-10-2) Partition coefficient n-octanol/water (Log Pow) Solve potential componential low potential low potential low potential low potential low potential low potential ro-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential low potential low potential low potential low potential low potential low potential for bioaccumulation (Log Kow < 4). 2.4,6-tris(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) Shake Flask Method, 21.5 °C) Not bioaccumulative potential Not bioaccumulative. 2.25 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	Cyclic Ethyleneamine (140-31-8)		
Method, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500). 2-methylpentane-1,5-diamine (15520-10-2) Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). Polyoxypropylenediamine (9046-10-0) Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential Low potential value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2,4,6-tris(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) -0.66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 21.5 °C) Bioaccumulative potential Not bioaccumulative. Cashew, nutshell liquid (8007-24-7) Partition coefficient n-octanol/water (Log Pow) > 6.7 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	BCF - Fish [1]		
Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) Polyoxypropylenediamine (9046-10-0) Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) Low potential value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2,4,6-tris(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) -0.66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 21.5 °C) Bioaccumulative potential Not bioaccumulative. cashew, nutshell liquid (8007-24-7) Partition coefficient n-octanol/water (Log Pow) > 6.7 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	Partition coefficient n-octanol/water (Log Pow)		
Partition coefficient n-octanol/water (Log Pow) ≤ 1 (Experimental value, US EPA, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). Polyoxypropylenediamine (9046-10-0) Partition coefficient n-octanol/water (Log Pow) 1.34 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2,4,6-tris(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) -0.66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 21.5 °C) Bioaccumulative potential Not bioaccumulative. Cashew, nutshell liquid (8007-24-7) Partition coefficient n-octanol/water (Log Pow) > 6.7 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). Polyoxypropylenediamine (9046-10-0) Partition coefficient n-octanol/water (Log Pow) 1.34 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2.4,6-tris(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) -0.66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 21.5 °C) Bioaccumulative potential Not bioaccumulative. cashew, nutshell liquid (8007-24-7) Partition coefficient n-octanol/water (Log Pow) > 6.7 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	2-methylpentane-1,5-diamine (15520-10-2)		
Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2,4,6-tris(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) -0.66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 21.5 °C) Bioaccumulative potential Not bioaccumulative. cashew, nutshell liquid (8007-24-7) Partition coefficient n-octanol/water (Log Pow) > 6.7 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	Partition coefficient n-octanol/water (Log Pow)	≤ 1 (Experimental value, US EPA, 25 °C)	
Partition coefficient n-octanol/water (Log Pow) 1.34 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2.44,6-tris(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) -0.66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 21.5 °C) Bioaccumulative potential Not bioaccumulative. Cashew, nutshell liquid (8007-24-7) Partition coefficient n-octanol/water (Log Pow) > 6.7 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). 2,4,6-tris(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) -0.66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 21.5 °C) Bioaccumulative potential Not bioaccumulative. Cashew, nutshell liquid (8007-24-7) Partition coefficient n-octanol/water (Log Pow) > 6.7 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	Polyoxypropylenediamine (9046-10-0)		
2,4,6-tris(dimethylaminomethyl)phenol (90-72-2) Partition coefficient n-octanol/water (Log Pow) -0.66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 21.5 °C) Bioaccumulative potential Not bioaccumulative. cashew, nutshell liquid (8007-24-7) Partition coefficient n-octanol/water (Log Pow) > 6.7 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	Partition coefficient n-octanol/water (Log Pow)		
Partition coefficient n-octanol/water (Log Pow) -0.66 (Experimental value, EPA OPPTS 830.7550: Partition Coefficient (n-octanol/water), Shake Flask Method, 21.5 °C) Bioaccumulative potential Not bioaccumulative. Cashew, nutshell liquid (8007-24-7) Partition coefficient n-octanol/water (Log Pow) > 6.7 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Shake Flask Method, 21.5 °C) Bioaccumulative potential Not bioaccumulative. Cashew, nutshell liquid (8007-24-7) Partition coefficient n-octanol/water (Log Pow) > 6.7 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	2,4,6-tris(dimethylaminomethyl)phenol (90-72-2)		
Cashew, nutshell liquid (8007-24-7) Partition coefficient n-octanol/water (Log Pow) > 6.7 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	Partition coefficient n-octanol/water (Log Pow)		
Partition coefficient n-octanol/water (Log Pow) > 6.7 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	Bioaccumulative potential	Not bioaccumulative.	
Shake Flask Method, 20 °C)	cashew, nutshell liquid (8007-24-7)		
	Partition coefficient n-octanol/water (Log Pow)		
Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5).	Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).	
Phenol, 4-nonyl-, branched (84852-15-3)			
BCF - Fish [1] 1200 – 1300 (Equivalent or similar to OECD 305, 16 day(s), Gasterosteus aculeatus, Flow-through system, Salt water, Experimental value, Fresh weight)	BCF - Fish [1]		
Partition coefficient n-octanol/water (Log Pow) 5.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 23 °C)	Partition coefficient n-octanol/water (Log Pow)		
Bioaccumulative potential Potential for bioaccumulation (500 ≤ BCF ≤ 5000).	Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

Cyclic Ethyleneamine (140-31-8)	Cyclic Ethylencemine (140 24 9)			
	No data confloido la the Planeton			
Surface tension	No data available in the literature			
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.57 (log Koc, Read-across, GLP)			
Ecology - soil	Low potential for mobility in soil.			
2-methylpentane-1,5-diamine (15520-10-2)				
Surface tension	No data available in the literature			
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.159 (log Koc, SRC PCKOCWIN v2.0, Calculated value)			
Ecology - soil	Low potential for adsorption in soil.			
Polyoxypropylenediamine (9046-10-0)				
Surface tension	Data waiving			
Ecology - soil	No (test)data on mobility of the substance available.			
2,4,6-tris(dimethylaminomethyl)phenol (90-72-2)				
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.32 (log Koc, Calculated value)			
Ecology - soil	Highly mobile in soil.			
cashew, nutshell liquid (8007-24-7)				
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	6.15 (log Koc)			
Ecology - soil	Adsorbs into the soil.			
Phenol, 4-nonyl-, branched (84852-15-3)				
Surface tension	38.9 mN/m (20 °C, EU Method A.5: Surface tension)			
Ecology - soil	Adsorbs into the soil.			

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
3082	UN3082	3082	3082

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT	TDG	IMDG	IATA		
14.2. Proper Shipping Name					
Environmentally hazardous substances, liquid, n.o.s. (Phenol, 4-nonyl-, branched)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Phenol, 4-nonyl-, branched)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Phenol, 4-nonyl-, branched)	Environmentally hazardous substance, liquid, n.o.s. (Phenol, 4-nonyl-, branched)		
14.3. Transport hazard class(es)					
9	9	9	9		
1 1 1 1 2 2 2	**************************************		**************************************		
14.4. Packing group					
III	III	III	III		
14.5. Environmental hazards					
Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes		
No supplementary information available					

14.6. Special precautions for user

DOT

UN-No.(DOT)

DOT Special Provisions (49 CFR 172.102)

: UN3082

: 155

: 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies.

146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination.

173 - An appropriate generic entry may be used for this material.

335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T4 - 2.65 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx)

3/21/2024 (Issue date) US - en 13/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 241 DOT Quantity Limitations Passenger aircraft/rail (49 : No Limit

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

: No Limit

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

TDG

: UN3082 UN-No. (TDG)

TDG Special Provisions

: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name:

- (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S;
- (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S;
- (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S;
- (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or
- (e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S.
- (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment:
- (a) UN2814. INFECTIOUS SUBSTANCE, AFFECTING HUMANS: or
- (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS, 99 (1) Mixtures of solids that are not dangerous goods and liquids or solids that are UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, may be handled, offered for transport or transported as UN3077 if there is no visible liquid when the dangerous goods are loaded into a means containment and during transport.

(2) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport or transporting of less than 450 kg of UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or less than 450 L of UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, on a road vehicle or a railway vehicle. The dangerous goods must be contained in one or more small means of containment designed, constructed, filled, closed, secured and maintained so that under normal conditions of transport. including handling, there will be no accidental release of the dangerous goods that could endanger public safety.

Explosive Limit and Limited Quantity Index 5 L

Excepted quantities (TDG) E1 Emergency Response Guide (ERG) Number : 171

IMDG

Special provision (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 51 Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 : PP1 Packing provisions (IMDG) : IBC03 IBC packing instructions (IMDG)

Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29

EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE

US - en 14/17 3/21/2024 (Issue date)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EmS-No. (Spillage) : S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS

Stowage category (IMDG) : A

IATA

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provision (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

2-methylpentane-1,5-diamine

CAS-No. 15520-10-2

≥ 1%

cashew, nutshell liquid CAS-No. 8007-24-7 < 1%

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

Phenol, 4-nonyl-, branched CAS-No. 84852-15-3 ≥ 60%

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Phenol, 4-nonyl-, branched CAS-No. 84852-15-3 ≥ 60%

15.2. International regulations

CANADA

Cyclic Ethyleneamine (140-31-8)

Listed on the Canadian DSL (Domestic Substances List)

Polyoxypropylenediamine (9046-10-0)

Listed on the Canadian DSL (Domestic Substances List)

2,4,6-tris(dimethylaminomethyl)phenol (90-72-2)

Listed on the Canadian DSL (Domestic Substances List)

Phenol, 4-nonyl-, branched (84852-15-3)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations

Cyclic Ethyleneamine (140-31-8)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Polyoxypropylenediamine (9046-10-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

2,4,6-tris(dimethylaminomethyl)phenol (90-72-2)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Phenol, 4-nonyl-, branched (84852-15-3)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Cyclic Ethyleneamine(140-31-8)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.